

# SUNSHINE



Deliverable 6.1

## Project Website

WP 6 – Awareness, networking and dissemination

T.6.1 – Project website, web 2.0 social networks and SUNSHINE community

**Revision:** Draft 1

**Authors:**

Andreolli Michele (Fondazione Graphitech)

Raffale De Amicis (Fondazione Graphitech)

Page 1 of 47

Dissemination level	PU (public)
Contributor(s)	Irene Facchin (Fondazione Graphitech)
Reviewer(s)	Linda Dörrzapf (CEIT) Raffale De Amicis (Fondazione Graphitech)
Editor(s)	Irene Facchin (Fondazione Graphitech) Raffale De Amicis (Fondazione Graphitech)
Partner in charge(s)	Fondazione Graphitech
Due date	1-Apr-13
Submission Date	4-Apr-13

## REVISION HISTORY AND STATEMENT OF ORIGINALITY

Revision	Date	Author	Organisation	Description
1	27.03.2013	Linda Dörrzapf	CEIT Alanova	N.A.

### Statement of originality:

This deliverable contains original unpublished work except where clearly indicated otherwise. Acknowledgement of previously published material and of the work of others has been made through appropriate citation, quotation or both.

Moreover, this deliverable reflects only the author's views. The European Community is not liable for any use that might be made of the information contained herein.

## Table of content

### 1 Sommario

---

<b>TABLE OF CONTENT</b> .....	<b>3</b>
<b>2 INTRODUCTION</b> .....	<b>4</b>
<b>3 SUNSHINE WEBSITE</b> .....	<b>4</b>
3.1 WEBSITE STRUCTURE.....	5
3.2 WEBSITE DESIGN .....	13
<b>4 ADDITIONAL WEB 2.0 TOOLS</b> .....	<b>14</b>
<b>5 THE WEB HOSTING SERVICE COMPANY AND TECHNOLOGY</b> .....	<b>16</b>
<b>ANNEXES</b> .....	<b>17</b>
ANNEX 1: TECHNICAL SPECIFICATIONS 1 .....	17
ANNEX 2: TECHNICAL SPECIFICATIONS 2 .....	29

## 2 Introduction

---

SUNSHINE website portal is the major online access point of the project. Moreover, it will be the public platform of the project to external institutions and the final users themselves, as well as to all the citizens. Indeed, the website will be used as an important dissemination tool, since it will make available all the most important information concerning the project, and a list of news concerning events and conferences in which the project has been or will be presented. Moreover, in the website, all the publications derived from the development output of the project will be available as well.

Also, SUNSHINE website provides private accesses to the members of the consortium so as to create a collaborative work environment in which the partners of the project can exchange knowledge and information concerning the project. The aim is to maximize the synergies among the consortium to improve the work within the work packages.

SUNSHINE website will also be a point of access for applications and services developed throughout the project.

## 3 SUNSHINE Website

---

SUNSHINE project website is available at the following address:

[www.sunshineproject.eu](http://www.sunshineproject.eu)

## 3.1 Website Structure

The project website presents a structure on different access levels, i.e. administrator, registered and guest users and public users, thus presenting a division between public and private sections.



On the homepage, two menus ensure the possibility to navigate the website.



On the right hand side, aloft, the **Main Menu** contains the most relevant information about the project, i.e.:

1. **About:** in this part, a brief description of the project, with its aims and goals, is provided.

On the right side of the page, all the general information concerning the project, i.e. type of project, start date and duration, project coordinator etc., is also specified.

Moreover, all the partners involved in the project are listed on the right side. The user will be redirected to a dedicated page with a description of the institution by clicking on each item.



**About**

SUNSHINE – “Smart Urban Services for Higher eNergy Efficiency” delivers innovative digital services, interoperable with existing geographic web-service infrastructures, supporting improved energy efficiency at the urban and building level. Specifically, SUNSHINE delivers a smart service platform accessible from both a web-based client and an App for smartphones and tablets. In particular, the SUNSHINE platform will allow:

1. Automatic large-scale assessment of building energy behaviour based on data available from public services (e.g. cadastre, planning data etc.). The information on energy performances will be used to automatically create urban-scale “ecomaps” to be used for planning activities and large-scale energy pre-certification purposes.
2. The previous assessment will be then used, together with localised weather forecasts available through interoperable web-services, to ensure optimisation of energy consumption of heating/cooling systems through automatic alerts that will be sent to the SUNSHINE App installed on the smartphones of the final users.

**Project Summary**

- **Project Type**  
CIP-Pilot Actions
- **Project Number**  
325161
- **Project Acronym**  
SUNSHINE
- **Project Full Title**  
Smart Urban Services for Higher eNergy Efficiency
- **Starting Date**  
1<sup>st</sup> February 2013
- **Duration**  
36 months
- **Call Identifier**  
CIP-ICT-PSP-2012-6
- **Project Coordination**  
Fondazione Graphitech

**Partners**

- Fondazione GraphiTech
- Gistandards LTD
- SinerGIS SRL
- Cadzow Communication Consulting Limited
- Grafica Light
- Informatica Trentina SPA
- Epsilon International SA
- Fundacion Esade
- CEIT Alanova Gemeinnutzige GmbH
- Trentino Network SRL
- HEP ESCO d.o.o
- MeteoGRID
- Urbasofia SRL
- Urbanistici Institut Republike Slovenije
- GeoSYS Limited
- SET Distribuzione SPA

**Fondazione GraphiTech**

Fondazione Graphitech - Centre for Advanced Computer Graphics Technologies is a non-profit applied research centre that conducts RTD activities in the broad technology area of advanced computer graphics, mixed reality and communication and information systems. Fondazione Graphitech has been contributing towards the transfer of knowledge between the research sector and the industry through the promotion of research on advanced graphics, information processing and visual communication, including virtual reality and virtual engineering. Specifically its competences cover the following domains: 1) augmented engineering including virtual and augmented reality, cooperative virtual environments, 3D visualisation and interaction; 2) interactive systems, incl. visual programming, multi-modal dialogues; 3) 3D GIS and networked system for management and streaming of geospatial data.

**Experience in related projects**

Fondazione Graphitech has been involved in several RTD and industrial projects both at the EU and at the national level. It is currently managing the following international projects:


- Coordinator of i-SCOPE “Interoperable Smart City services through an Open Platform for urban Ecosystems”, funded by the ICT PSP Programme, on development of smart-cities services.
- VISION funded by the European Commission to deliver a study in the field of “simulation, visualisation and virtual computing” to help the Commission make informed decision on future coverage and approaches towards these fields within a future post 2013 EU Research and Innovation Programme.
- Coordinator of BRISEIDE “BRIdging SErvices, Information and Data for Europe”, funded by the ICT PSP Programme, on spatio-temporal geo-processing services.
- Technical coordinator of i-Tour “Intelligent Transport system for Optimised Urban trips” (FP7 STREP).
- GEPSUS “Geographical Information Processing for Environmental Pollution-Related Security within Urban Scale Environments”, study funded by NATO-OTAN (North Atlantic Treaty Organisation) within the Science for Peace and Security Programme.

**Brief description of the role within the project**

Fondazione Graphitech will be responsible for overall management of the project leading the last WP on project management (WP8). Additionally, from a technical standpoint, GRAPHITECH will be in charge of: 1) extending the 3D client developed in the context of i-SCOPE to support the ADE (Application Domain Extension) of CityGML that the project is developing; 2) extend the 3D client with support for visual configuration of alerts defined as SAS (Sensor Alert Services) and SES (Service Alert Service). GRAPHITECH will also be involved in other project’s activities from definition of requirements, to coordination of standardisation activities (WP3), to contribution to openness and awareness activities and in the coordination of all the pilot activities (WP5).

2. **Project Details:** this is the main section of the website, which gives a complete and detailed overview of the project, analysing its:

- **Services & Solutions**
- **Target**
- **Usage**
- **Technology**
- **Contents**
- **Sustainability**
- **Ownership**



**Project Details**

Service & Solution | Target | Usage | Technology | Content | Sustainability | Ownership

**Description of the issue and proposed service/solution**

SUNSHINE delivers an extensible open toolkit featuring three smart services for:

- energy assessment of buildings at urban scale for the creation of "ecomaps" and their energy pre-certification;
- optimisation of energy consumption of heating/cooling systems based on localised weather forecasts and energy modelling of buildings;
- optimisation of power consumption through remote control of public illumination levels.


The toolkit will be delivered as interoperable open middleware ensuring, in an interoperable manner:

- access to geospatial features;
- access to Automatic Meter Reading (AMR) functions;
- definition of alerts.

**Project Summary**

- Project Type**  
CIP-Pilot Actions
- Project Number**  
325161
- Project Acronym**  
SUNSHINE
- Project Full Title**  
Smart Urban Services for Higher eEnergy Efficiency
- Starting Date**  
1<sup>st</sup> February 2013
- Duration**  
36 months
- Call Identifier**  
CIP-ICT-PSP-2012-6
- Project Coordination**  
Fondazione Graphitech

3. **WorkPackages:** contains the list of the project work packages with a link to a brief description of each one.



**WorkPackages**

WP1 | WP2 | WP3 | WP4 | WP5 | WP6 | **WP7** | WP8

**WP7 - Exploitation and Sustainability**


The main objectives of this work package, coordinated by ESADE, are:

- To prepare a sound and realistic exploitation plan aiming at the exploitation of the SUNSHINE project's results in a global scale.
- To analyse the market and assess the competitive environment surrounding the project.
- To define the business models for the exploitation for the project's main results. To analyse the viability and profitability of each business model, including the expected impact of the introduction of SUNSHINE results in a large event environment
- To prepare a realistic business plan that will establish guidelines to the deployment of the SUNSHINE results focusing on technology analysis, distribution, marketing, pricing and sales strategy, risks identification and financial plan. It will be build based on various project results.


**Project Summary**

- Project Type**  
CIP-Pilot Actions
- Project Number**  
325161
- Project Acronym**  
SUNSHINE
- Project Full Title**  
Smart Urban Services for Higher eEnergy Efficiency
- Starting Date**  
1<sup>st</sup> February 2013
- Duration**  
36 months
- Call Identifier**  
CIP-ICT-PSP-2012-6
- Project Coordination**  
Fondazione Graphitech

4. **Consortium:** contains the list of project partners.




5. **Contacts:** in this part, the project most important contact persons are enlisted, together with their contact points.






Then, in the middle position of the homepage, a **bottom layout section** gives information on:



1. **Pilots:** contains the list of project pilots and a brief description for each.



2. **Events:** this section enables to browse all SUNSHINE events, conferences and workshops where the project has or will be presented.

**SUNSHINE** Home About Project Consortium Contacts

Calendar

← Back

## Kick-Off Meeting

Category: Meetings  
 Event: February 06, 2013 - February 07, 2013  
 Place: Fondazione Graphitech - Via alla Cascata, 56, 38123 Povo TN, Italia  
 Telephone: +39 0461 283397  
 Email: irene.facchin@graphitech.it  
 Website: www.graphitech.it


The 6<sup>th</sup> and the 7<sup>th</sup> of February 2013, the kick-off meeting of the SUNSHINE project, has taken place in Trento, hosted by Fondazione Graphitech, which will act as coordinator of the project.


Map showing the location of the meeting in Trento, Italy. The map highlights the route to the meeting location, marked with a red pin on Via alla Cascata. The map includes labels for various roads such as Via Bassano, Via Valsugana, and Via alla Cascata. The map is powered by iCagenda.

3. **Multimedia:** this section is divided in three parts, i.e. **PR Material**, **Photo & Images** and **Videos**. Within the first part, the entire PR (brochures, flyers, abstracts...) and the multimedia materials (photos, images, demo videos, interviews and TV participations, multimedia presentations...) made during the project development are collected.
4. **Liaisons:** all the possible liaisons with other European projects and/or activities are herewith presented.




[Home](#)
[About](#)
[Project](#)
[Consortium](#)
[Contacts](#)





## Liaisons

The SUNSHINE technology will be the result of the customisation and integration of existing software components developed by other EC-funded projects focusing on smart-city technologies, including BRISEIDE, i-SCOPE and i-Tour.




BRISEIDE (BRIdging SERVICES, Information and Data for Europe) aims at delivering 1) time-aware extension of data models developed in the context of previous/ongoing EU INSPIRE related projects (e.g. in the context of GMES, eContentPlus), 2) application (e.g. Civil Protection) based on the integration of existing, user operational information and 3) value added services for spatio-temporal data management, authoring, processing, analysis and interactive visualisation. The use of GI requires re-consideration of time/spatial accounting to achieve optimality geo-processing services essential in environmental management, as demanded by planners and decision makers. With a few exceptions, current guidelines & standards do not provide such a support whilst funded by EC programmes or initiatives as GMES, eContentPlus and INSPIRE. It is the aim of BRISEIDE to fill-in this gap.

---



i-Tour will develop an open framework to be used by different providers, authorities and citizens to provide intelligent multi-modal mobility services. i-Tour client will support and suggest, in a user-friendly way, the use of different forms of transport (bus, car, railroad, tram, etc.) taking into account user preferences as well as real-time information on road conditions, weather, public transport network condition. To do so i-Tour promotes a new approach to data collection based on recommender system based on the information provided by the whole user community. i-Tour mobility client applications will feature a very user-friendly interface accessible from PCs, PDAs and Smartphones. i-Tour clients are designed to promote use of public transport by encouraging sustainable travel choices and by providing rewarding mechanisms for users choosing public travel options. Sustainable travel preferences, e.g. measured in terms of CO2 emission saved by using public transport, are rewarded, e.g. through free public transport tickets, thus promoting and encouraging environmental friendly travel behaviours.

---



Based on interoperable 3D UIMs, i-SCOPE delivers an open platform on top of which it develops, within different domains, three 'smart city' services. These will be piloted and validated, within a number of EU cities which will be actively engaged throughout the project lifecycle. The services will address: 1) Improved inclusion and personal mobility of aging and diversely able citizens through an accurate city-level differently-abled-friendly personal routing service which accounts for detailed urban layout, features and barriers. 2) Optimization of energy consumption through a service for accurate assessment of solar energy potential and energy loss at building level. 3) Environmental monitoring through a real-time environmental noise mapping service leveraging citizen's involvement will who act as distributed sensors city-wide measuring noise levels through their mobile phones. All smart services will be based on already available technologies which will be integrated, deployed and made publicly available from a "3D smart EU cities" portal. Potential trust, privacy and data security risks and vulnerabilities, i.e. due to localisation of people, are integral part of the project and will be explicitly addressed.

Right after the central section of the homepage in which a brief description of the project is reported, three box driven the user to the **top news section**, to the **newsletter subscription section**, and to the **login form**.

### Top News

Kick-Off Meeting
✕

The 6th and the 7th of February 2013, the kick-off meeting of the SUNSHINE project, has taken place in Trento, hosted by Fondazione Graphitech, which will act as coordinator of the project.

### Newsletter

The SUNSHINE newsletters will be issued every six months and will be freely available through the project website.

name\*

surname\*

email\*

[Subscribe](#)

### Login

User Name

Password

[Log in](#)

[> Forgot your password?](#)  
[> Forgot your username?](#)  
[> Create an account](#)

The **top news section** highlights the last news about the project activities (news, events participation and media coverage). Moreover, the user will be redirect to the news archive by clicking on each news.


The **newsletter subscription** is free for all users interested to receive the periodic SUNSHINE newsletter directly to their mail accounts.

The **Login section** leads to the second Menu of the website. Only members of the Consortium can access this Menu. And, in order to ensure this restricted access, each user’s account must be directly validated by the website manager.

After being logged in, all the partners will see the following **Menu**.

The main sections here are **Mailing Lists** and **File Manager**.

The **Mailing Lists** page displays the project mailing lists already subscribed by the user. Thus, the user can autonomously decide to which mailing list to subscribe from the box on the right side of the web page.



**Mailing Lists**

In order to facilitate the internal project communication, the following mailing list have been set up.

- [wp1@sunshineproject.net](mailto:wp1@sunshineproject.net) - Activities related to WP1
- [wp2@sunshineproject.net](mailto:wp2@sunshineproject.net) - Activities related to WP2
- [wp3@sunshineproject.net](mailto:wp3@sunshineproject.net) - Activities related to WP3
- [wp4@sunshineproject.net](mailto:wp4@sunshineproject.net) - Activities related to WP4
- [wp5@sunshineproject.net](mailto:wp5@sunshineproject.net) - Activities related to WP5
- [wp6@sunshineproject.net](mailto:wp6@sunshineproject.net) - Activities related to WP6
- [wp7@sunshineproject.net](mailto:wp7@sunshineproject.net) - Activities related to WP7
- [wp8@sunshineproject.net](mailto:wp8@sunshineproject.net) - Activities related to WP8

In the following table you can check your mailing lists subscription.

WorkPackage	WorkPackage	WorkPackage	WorkPackage	WorkPackage	WorkPackage	WorkPackage	WorkPackage
1	2	3	4	5	6	7	8
•		•					

**Subscriptions**

Select one or more mailing lists from the checkbox and click "Submit" to confirm your choice.

You will be subscribed with the following email address in the next 12/24 hours

WorkPackage 1

WorkPackage 2

WorkPackage 3

WorkPackage 4


WorkPackage 5

WorkPackage 6

WorkPackage 7

WorkPackage 8

The **File Manager** part is the really restricted area of the website, in which all the final documents (i.e. Consortium Agreement, Grant Agreement, and Description of Work) are updated, as well as the final deliverables sent to the PO, the meeting materials (slides, agenda...), and the templates to be filled in by the partners. The last section, i.e. Work Packages, is reserved to the partners to add the requested contributions during the project duration.



The **homepage footer** is dedicated to a quick acknowledge of the project founding, project coordinator and to access a restricted area for the reviewers.




### 3.2 Website Design

Design Template, Logo and Banner has been defined and adapted to deliver a comprehensive yet easily accessible and updatable structure. Indeed, the Website is constantly being improved and updated.


## 4 Additional Web 2.0 Tools

Additionally, a number of social networks channels have been registered because of the increasing role of social networking, i.e.

- SUNSHINE **LinkedIn** group page ([http://www.linkedin.com/groups/Sunshine-Project-4863590?trk=myg\\_ugrp\\_ovr](http://www.linkedin.com/groups/Sunshine-Project-4863590?trk=myg_ugrp_ovr)).



- SUNSHINE **YouTube** channel (<http://www.youtube.com/user/SunshineProjectEu><http://www.youtube.com/user/iscope4eu>).



- SUNSHINE **Facebook** account (<http://www.facebook.com/SunshineProjectEu>).



- SUNSHINE **Twitter** channel, ([https://twitter.com/sunshine\\_EU#](https://twitter.com/sunshine_EU#)).



## 5 The Web Hosting Service Company and Technology

---

The hosting server for SUNSHINE website is provided by Aruba.it SpA. This Italian company offers web hosting services, domains registrations, advertising, and dedicated servers.

The project website is hosted on a Linux server cluster that is devoid of storage space limitation, and that has been configured to support the following programming languages:

- PHP - version 5.2.17

The functionalities available on SUNSHINE website are designed to:

- Allow a large number of people to contribute and to share stored data.
- Control the access to data, based on given user roles, which define what information each user can view or edit.
- Provide user-friendly storage and retrieval of data.
- Reduce duplication of input information.
- Improve ease when generating reports and statistics (e.g. statistics on access, article posted etc.).
- Improve communication between users.

Specifically, SUNSHINE website has been designed, structured and developed using “Joomla!” – version 2.5.9. This is an open source CMS platform for publishing content on the World Wide Web and intranets. The platform is written in PHP, stores data within a MySQL database, and includes features such as page caching, Really Simple Syndication (RSS) feeds, printable versions of pages, news sections, blogs, polls, searching, and provides native support for language internationalisation.

“Joomla!” is widely extensible due to a large selection of layouts templates, add-ons and modules that can be used to extend the standard functionalities, as well as to ensure proper interfacing with many 3rd Party systems.



## Annexes

---

### ANNEX 1: Technical Specifications 1

---

## Verifica delle versioni dei linguaggi installati sul server

<b>PHP:</b>	5.3.22
<b>Perl:</b>	5.010001
<b>Ruby:</b>	1.9.2
<b>Python:</b>	2.6.6

## Moduli Perl Addizionali Installati

<b>Algorithm::Diff</b>	1.1902
<b>Apache::Htpasswd</b>	1.8
<b>Archive::Tar</b>	1.58
<b>Archive::Zip</b>	1.30
<b>B::Lint</b>	1.13
<b>CGI</b>	3.55
<b>CPAN</b>	1.9600
<b>CPAN::Meta</b>	2.110930001
<b>CPAN::Meta::YAML</b>	0.003
<b>Carp::Clan</b>	6.04
<b>Compress::Raw::Bzip2</b>	2.037
<b>Compress::Raw::Zlib</b>	2.037
<b>Crypt::PasswdMD5</b>	1.3
<b>Crypt::SSLeay</b>	0.58
<b>Cwd</b>	3.33
<b>DBD::Multiplex</b>	2.11
<b>DBI</b>	1.616
<b>Data::Dumper</b>	2.131
<b>Digest::MD5</b>	2.51
<b>Digest::SHA</b>	5.62
<b>Digest::SHA1</b>	2.13
<b>Encode</b>	2.43
<b>Encode::Locale</b>	1.02
<b>ExtUtils::CBuilder</b>	0.280202
<b>ExtUtils::MakeMaker</b>	6.58

<b>FCGI</b>	0.73
<b>File::HomeDir</b>	0.98
<b>File::Listing</b>	6.02
<b>File::Which</b>	1.09
<b>GD</b>	2.46
<b>HTML::Parser</b>	3.68
<b>HTML::Tagset</b>	3.20
<b>HTTP::Cookies</b>	6.00
<b>HTTP::Daemon</b>	6.00
<b>HTTP::Date</b>	6.00
<b>HTTP::Message</b>	6.02
<b>HTTP::Negotiate</b>	6.00
<b>HTTP::Tiny</b>	0.013
<b>IO::Compress</b>	Installata
<b>IO::Socket::SSL</b>	1.62
<b>IO::Zlib</b>	1.10
<b>IPC::Cmd</b>	0.72
<b>IPC::Run3</b>	0.044
<b>Image::Magick</b>	6.81
<b>JSON::PP</b>	2.27200
<b>LWP</b>	6.02
<b>LWP::MediaTypes</b>	6.01
<b>List::Util</b>	1.23
<b>Locale::Maketext::Simple</b>	0.21
<b>MD5</b>	2.03
<b>Math::BigInt</b>	1.993
<b>Math::BigRat</b>	0.2602
<b>Math::Complex</b>	1.58
<b>Memoize</b>	1.02
<b>Module::Build</b>	0.3800
<b>Module::CoreList</b>	2.53
<b>Module::Load</b>	0.18
<b>Module::Load::Conditional</b>	0.44
<b>Module::Metadata</b>	1.000004

Net::Daemon	0.48
Net::HTTP	6.01
Net::SMTP::SSL	1.01
Net::SSLeay	1.45
Params::Check	0.28
Parse::CPAN::Meta	1.4401
Perl	5.10.1
Perl::OSType	1.002
Probe::Perl	0.01
Sub::Uplevel	0.22
Switch	2.16
Sys::Syslog	0.29
Term::ANSIColor	2.00
Term::Cap	1.12
Term::ReadKey	2.30
Test::Exception	0.31
Test::Harness	3.23
Test::Pod	1.45
Test::Script	1.07
Test::Simple	0.98
Text::Diff	1.41
Text::Glob	0.09
Tie::RefHash	1.39
Time::HiRes	1.9724
Time::Local	1.1901
URI	1.58
Unicode::Normalize	1.12
Version::Requirements	0.101020
WWW::RobotRules	6.01
XML::Parser	2.41
XSLoader	0.10
YAML	0.73
base	2.15
bignum	0.28
constant	1.21

<b>threads::shared</b>	1.37
<b>version</b>	0.91

**Estensioni PHP Installate ( per avere piu' informazioni usare `phpinfo()` )**

<b>bcmath</b>	
BCMath support	enabled
<b>bz2</b>	
BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007
<b>calendar</b>	
Calendar support	enabled
<b>Core</b>	
PHP Version	5.3.22
<b>ctype</b>	
ctype functions	enabled
<b>curl</b>	
cURL support	enabled
SSL Version	NSS/3.13.6.0
ZLib Version	1.2.3
libSSH Version	libssh2/1.4.2
<b>date</b>	
date/time support	enabled
"Olson" Timezone Database Version	2012.10

<b>dom</b>		
DOM/XML		enabled
DOM/XML API Version		20031129
libxml Version		2.7.6
HTML Support		enabled
XPath Support		enabled
XPointer Support		enabled
Schema Support		enabled
RelaxNG Support		enabled
<b>ereg</b>		
Regex Library		Bundled library enabled
<b>exif</b>		
EXIF Support		enabled
EXIF Version		1.4 \$Id\$
Supported EXIF Version		0220
Supported filetypes		JPEG, TIFF
<b>ffmpeg</b>		
ffmpeg-php version		0.6.0-svn
ffmpeg-php gd support		enabled
ffmpeg libavcodec version		Lavc52.123.0
ffmpeg libavformat version		Lavf52.111.0
ffmpeg swscaler version		SwS0.14.1
<b>fileinfo</b>		
fileinfo support		enabled
version		1.0.5-dev
<b>filter</b>		
Input Validation and Filtering		enabled
Revision		\$Id: 209a1c3c98c04a5474846e7bbe8ca72054ccfd4f \$

<b>ftp</b>	
FTP support	enabled
<b>gd</b>	
GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Version	2.3.11
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled
XPM Support	enabled
libXpm Version	30411
XBM Support	enabled
JIS-mapped Japanese Font Support	enabled
<b>gettext</b>	
GetText Support	enabled
<b>hash</b>	
hash support	enabled
<b>iconv</b>	
iconv support	enabled
iconv library version	2.12
<b>imagemick</b>	
imagemick module	enabled
imagemick module version	3.0.1

ImageMagick version	ImageMagick 6.8.1-9 2013-01-14 Q16 <a href="http://www.imagemagick.org">http://www.imagemagick.org</a>
ImageMagick number of supported formats:	201
ImageMagick supported formats	3FR, A, AAI, AI, ART, ARW, AVI, AVS, B, BMP, BMP2, BMP3, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, FAX, FITS, FRACTAL, FTS, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, J2C, J2K, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MEF, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NRW, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PANGO, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFa, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RGB, RGBA, RGBO, RLA, RLE, RW2, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVZ, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMV, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV
<b>imap</b>	
IMAP c-Client Version	2007e
SSL Support	enabled
Kerberos Support	enabled
<b>json</b>	
json support	enabled
json version	1.2.1
<b>libxml</b>	
libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled
<b>mbstring</b>	
Multibyte Support	enabled
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.7.1
<b>mcrypt</b>	
mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8



Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream
<b>mhash</b>	
MHASH support	Enabled
MHASH API Version	Emulated Support
<b>mysql</b>	
MySQL Support	enabled
Client API version	5.1.67
<b>mysqli</b>	
Mysqli Support	enabled
Client API library version	5.1.67
Client API header version	5.1.67
<b>openssl</b>	
OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.0-fips 29 Mar 2010
OpenSSL Header Version	OpenSSL 1.0.0-fips 29 Mar 2010
<b>pcre</b>	
PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.31 2012-07-06
<b>PDO</b>	
PDO support	enabled
<b>pdo_mysql</b>	
PDO Driver for MySQL	enabled
Client API version	5.1.67
<b>pdo_sqlite</b>	


PDO Driver for SQLite 3.x	enabled
<b>Phar</b>	
Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: 21d763042eb5769ae0a09dc1118df2b5aae6fb33 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
Native OpenSSL support	enabled
<b>posix</b>	
Revision	\$Id: 5a2da3946b96c5afb3aff8db8a8681f8bedee85 \$
<b>Reflection</b>	
Reflection	enabled
Version	\$Id: 4af6c4c676864b1c0bfa693845af0688645c37cf \$
<b>session</b>	
Session Support	enabled
<b>SimpleXML</b>	
Simplexml support	enabled
Revision	\$Id: 02ab7893b36d51e9c59da77d7e287eb3b35e1e32 \$
Schema support	enabled
<b>soap</b>	
Soap Client	enabled
Soap Server	enabled
<b>SourceGuardian</b>	

SourceGuardian Loader Support	enabled
SourceGuardian Loader Version	9.0
phpSHIELD Support	enabled
<b>SPL</b>	
SPL support	enabled
<b>SQLite</b>	
SQLite support	enabled
PECL Module version	2.0-dev \$Id\$
<b>sqlite3</b>	
SQLite3 support	enabled
SQLite3 module version	0.7-dev
<b>standard</b>	
Dynamic Library Support	enabled
<b>tidy</b>	
Tidy support	enabled
Extension Version	2.0 (\$Id: tidy.c 323118 2012-02-07 20:49:10Z tony2001 \$)
<b>tokenizer</b>	
Tokenizer Support	enabled
<b>wddx</b>	
WDDX Support	enabled
WDDX Session Serializer	enabled
<b>xml</b>	
XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

<b>xmlreader</b>		
XMLReader		enabled
<b>xmlwriter</b>		
XMLWriter		enabled
<b>xsl</b>		
XSL		enabled
libxslt Version		1.1.26
libxslt compiled against libxml Version		2.7.6
EXSLT		enabled
libexslt Version		1.1.26
<b>zlib</b>		
ZLib Support		enabled
Stream Wrapper support		compress.zlib://
Stream Filter support		zlib.inflate, zlib.deflate
Compiled Version		1.2.3
Linked Version		1.2.3

## ANNEX 2: Technical Specifications 2

---

 <b>PHP Version 5.3.22</b>	
System	Linux webxc32s03.ad.aruba.it 2.6.32-358.2.1.el6.x86_64 #1 SMP Wed Mar 13 00:26:49 UTC 2013 x86_64
Build Date	Mar 4 2013 15:01:17
Configure Command	'./configure' '--prefix=/php_5.3.22' '--with-libdir=lib64' '--with-mysql' '--with-mysql' '--with-openssl' '--enable-soap' '--with-config-file-path=/etc/apache/phpini/php5.3' '--with-gd' '--with-jpeg-dir=/usr' '--with-zlib-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr' '--enable-gd-jis-conv' '--disable-debug' '--enable-inline-optimization' '--with-ldap' '--with-kerberos' '--with-ldap-ssl' '--with-mcrypt' '--enable-ftp' '--with-xsl' '--with-freetype-dir=/usr/include/freetype2/freetype' '--with-t1lib=/usr/include' '--with-gettext' '--enable-exif' '--enable-bcmath' '--enable-calendar' '--with-bz2' '--with-mhash' '--with-mime-magic' '--with-curl' '--enable-wddx' '--disable-ipv6' '--enable-static=mysql' '--enable-static=mysql' '--with-pdo-mysql' '--enable-mbstring'
Server API	CGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/apache/phpini/php5.3
Loaded Configuration File	/etc/apache/phpini/php5.3/php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar
Registered Stream	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls

<b>Socket Transports</b>	
<b>Registered Stream Filters</b>	zlib.*, bzip2.*, convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

<> This program makes use of the Zend Scripting Language Engine:  
Zend Engine v2.3.0, Copyright (c) 1998-2013 Zend Technologies  
with the IonCube PHP Loader v4.2.2, Copyright (c) 2002-2012, by IonCube Ltd.

## PHP Credits

### Configuration

#### bcmath

<b>BCMath support</b>	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

#### bz2

<b>BZip2 Support</b>	Enabled
<b>Stream Wrapper support</b>	compress.bzip2://
<b>Stream Filter support</b>	bzip2.decompress, bzip2.compress
<b>BZip2 Version</b>	1.0.5, 10-Dec-2007

#### calendar

<b>Calendar support</b>	enabled
-------------------------	---------

#### cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.discard_path	0	0
cgi.fix_pathinfo	0	0
cgi.force_redirect	0	0
cgi.nph	0	0
cgi.redirect_status_env	no value	no value
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

## Core

PHP Version	5.3.22
-------------	--------

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	no value	no value
auto_globals_jit	On	On
auto_prepend_file	no value	no value
browscap	no value	no value
default_charset	no value	no value
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	no value	no value
disable_functions	system,popen,dl,passthru,proc_open,shell_exec	system,popen,dl,passthru,proc_open,shell_exec
display_errors	On	On
display_startup_errors	Off	Off
doc_root	no value	no value
docref_ext	no value	no value
docref_root	no value	no value
enable_dl	Off	Off
error_append_string	no value	no value
error_log	no value	no value
error_prepend_string	no value	no value
error_reporting	22519	22519
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/php5.3/lib/php/extensions	/php5.3/lib/php/extensions
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF9900	#FF9900
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off



include_path	./php5.3/lib/php/	./php5.3/lib/php/
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	On	On
mail.force_extra_parameters	no value	no value
mail.log	no value	no value
max_execution_time	120	120
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	64M	64M
open_basedir	no value	no value
output_buffering	4096	4096
output_handler	no value	no value
post_max_size	30M	30M
precision	14	14
realpath_cache_size	1024k	1024k
realpath_cache_ttl	600	600
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend_debug	On	On
request_order	GP	GP
safe_mode	Off	Off
safe_mode_exec_dir	no value	no value
safe_mode_gid	Off	Off
safe_mode_include_dir	no value	no value
sendmail_from	no value	no value
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_filesize	25M	25M
upload_tmp_dir	/tmp/	/tmp/
user_dir	home	home
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini

variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	Off	Off
zend.enable_gc	On	On

## ctype

ctype functions	enabled
-----------------	---------

## curl

cURL support	enabled
cURL Information	7.19.7
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	ftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
Host	x86_64-redhat-linux-gnu
SSL Version	NSS/3.13.6.0
ZLib Version	1.2.3
libSSH Version	libssh2/1.4.2

## date

date/time support	enabled
"Olson" Timezone Database Version	2012.10
Timezone Database	internal
Default timezone	Europe/Rome

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333

date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Rome	Europe/Rome

### dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

### ereg

Regex Library	Bundled library enabled
---------------	-------------------------

### exif

EXIF Support	enabled
EXIF Version	1.4 \$Id\$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	no value	no value
exif.encode_unicode	ISO-8859-15	ISO-8859-15

### ffmpeg

ffmpeg-php version	0.6.0-svn
ffmpeg-php built on	Mar 4 2013 15:03:26
ffmpeg-php gd support	enabled
ffmpeg libavcodec version	Lavc52.123.0
ffmpeg libavformat version	Lavf52.111.0
ffmpeg swscaler version	SwS0.14.1

Directive	Local Value	Master Value
ffmpeg.allow_persistent	0	0

ffmpeg.show_warnings	0	0
----------------------	---	---

### fileinfo

fileinfo support	enabled
version	1.0.5-dev

### filter

Input Validation and Filtering	enabled
Revision	\$Id: 209a1c3c98c04a5474846e7bbe8ca72054ccfd4f \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

### ftp

FTP support	enabled
-------------	---------

### gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.11
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled
XPM Support	enabled
libXpm Version	30411
XBM Support	enabled
JIS-mapped Japanese Font Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

### gettext

GetText Support	enabled
-----------------	---------

## hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.12

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

## imagemagick

imagemagick module	enabled
imagemagick module version	3.0.1
imagemagick classes	ImageMagick, ImageMagickDraw, ImageMagickPixel, ImageMagickPixelIterator
ImageMagick version	ImageMagick 6.8.1-9 2013-01-14 Q16 <a href="http://www.imagemagick.org">http://www.imagemagick.org</a>
ImageMagick copyright	Copyright (C) 1999-2013 ImageMagick Studio LLC
ImageMagick release date	2013-01-14
ImageMagick number of supported formats:	201
ImageMagick supported formats	3FR, A, AAI, AI, ART, ARW, AVI, AVS, B, BMP, BMP2, BMP3, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, FAX, FITS, FRACTAL, FTS, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, J2C, J2K, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MEF, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NRW, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PANGO, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3,

PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RGB, RGBA,RGBO, RLA, RLE, RW2, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMV, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV
---

Directive	Local Value	Master Value
imagemagick.locale_fix	0	0
imagemagick.progress_monitor	0	0

## imap

IMAP c-Client Version	2007e
SSL Support	enabled
Kerberos Support	enabled

## json

json support	enabled
json version	1.2.1

## libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

## mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	no value	no value
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass

mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml+xml)	^(text/application/xhtml+xml)
mbstring.internal_encoding	no value	no value
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	no value	no value

## mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	no value	no value
mcrypt.modes_dir	no value	no value

## mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

## mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.67
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib64/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	no value	no value
mysql.default_password	no value	no value

mysql.default_port	no value	no value
mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	10	10
mysql.trace_mode	Off	Off

## mysqli

Mysqli Support	enabled
Client API library version	5.1.67
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.1.67
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	no value	no value
mysqli.default_port	3306	3306
mysqli.default_pw	no value	no value
mysqli.default_socket	no value	no value
mysqli.default_user	no value	no value
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	10	10
mysqli.reconnect	Off	Off

## openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.0-fips 29 Mar 2010
OpenSSL Header Version	OpenSSL 1.0.0-fips 29 Mar 2010

## pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.31 2012-07-06

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000



## PDO

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

## pdo\_mysql

PDO Driver for MySQL	enabled
Client API version	5.1.67

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock

## pdo\_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.7.1

## Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: 21d763042eb5769ae0a09dc1118df2b5aae6fb33 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
Native OpenSSL support	enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	no value	no value
phar.readonly	On	On
phar.require_hash	On	On

## posix

Revision	\$Id: 5a2da3946b96c5afb3aff8db8a8681f8bedee85 \$
----------	--

## Reflection

Reflection	enabled
Version	\$Id: 4af6c4c676864b1c0bfa693845af0688645c37cf \$

## session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	no value	no value
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	no value	no value
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	no value	no value
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

## SimpleXML

Simplexml support	enabled
Revision	\$Id: 02ab7893b36d51e9c59da77d7e287eb3b35e1e32 \$
Schema support	enabled

## soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

### SourceGuardian

SourceGuardian Loader Support	enabled
SourceGuardian Loader Version	9.0
SourceGuardian Loader Build Number	0x00000012
phpSHIELD Support	enabled

Directive	Local Value	Master Value
sourceguardian.restrict_unencoded	0	0

### SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

### SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id\$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

### sqlite3

"This project is partially funded under the ICT Policy Support Programme (ICT PSP) as part of the Competitiveness and Innovation Framework Programme by the European Community" ([http://ec.europa.eu/ict\\_psp](http://ec.europa.eu/ict_psp)).

SQLite3 support		enabled
SQLite3 module version	0.7-dev	
SQLite Library	3.7.7.1	

Directive	Local Value	Master Value
sqlite3.extension_dir	no value	no value

### standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

### tidy

Tidy support	enabled
libTidy Release	14 June 2007
Extension Version	2.0 (\$Id: tidy.c 323118 2012-02-07 20:49:10Z tony2001 \$)

Directive	Local Value	Master Value
tidy.clean_output	no value	no value
tidy.default_config	no value	no value

### tokenizer

Tokenizer Support	enabled
-------------------	---------

### wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

### xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

### xmlreader

XMLReader	enabled
-----------	---------

### xmlwriter

XMLWriter	enabled
-----------	---------

### xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.6
EXSLT	enabled
libexslt Version	1.1.26

### zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

### Additional Modules

Module Name
ionCube Loader

### Environment

Variable	Value

PATH	/usr/local/bin:/usr/bin:/bin
UNIQUE_ID	UVF78n8AAAEAAFP3JkAAACt
HTTP_AUTHORIZATION	no value
HTTP_HOST	www.sunshineproject.eu
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.22 (KHTML, like Gecko) Chrome/25.0.1364.172 Safari/537.22
HTTP_REFERER	http://webx332.aruba.it/CP/index.php?f1127f27f591d9f7200436f8c28a0e30d
HTTP_ACCEPT_ENCODING	gzip,deflate,sdch
HTTP_ACCEPT_LANGUAGE	it-IT,it;q=0.8,en-US;q=0.6,en;q=0.4
HTTP_ACCEPT_CHARSET	ISO-8859-1,utf-8;q=0.7,*;q=0.3
HTTP_VIA	1.1 proxy.unith.it:3128 (squid/2.5.STABLE14)
HTTP_X_FORWARDED_FOR	193.205.215.108
HTTP_CACHE_CONTROL	max-age=259200
HTTP_CONNECTION	keep-alive
SERVER_SIGNATURE	no value
SERVER_SOFTWARE	Apache/2.4.3 (Unix) mod_fcgid/2.3.7
SERVER_NAME	www.sunshineproject.eu
SERVER_ADDR	62.149.142.98
SERVER_PORT	80
REMOTE_ADDR	193.205.206.25
DOCUMENT_ROOT	/web/htdocs/www.sunshineproject.eu/home/
REQUEST_SCHEME	http
CONTEXT_PREFIX	no value
CONTEXT_DOCUMENT_ROOT	/web/htdocs/www.sunshineproject.eu/home/
SERVER_ADMIN	postmaster@sunshineproject.eu
SCRIPT_FILENAME	/web/htdocs/www.sunshineproject.eu/home/_aruba_php_test_.php
REMOTE_PORT	9491
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.0
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/_aruba_php_test_.php
SCRIPT_NAME	/_aruba_php_test_.php
PHPRC	no value

## PHP Variables

Variable	Value
\$_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
\$_SERVER["UNIQUE_ID"]	UVF78n8AAAEAAFP3JkAAACt
\$_SERVER["HTTP_AUTHORIZATION"]	no value
\$_SERVER["HTTP_HOST"]	www.sunshineproject.eu
\$_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
\$_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.22 (KHTML, like Gecko) Chrome/25.0.1364.172 Safari/537.22

_SERVER["HTTP_REFERER"]	http://webx332.aruba.it/CP/index.php?f127f27f591d9f7200436f8c28a0e30d
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate, sdch
_SERVER["HTTP_ACCEPT_LANGUAGE"]	it-IT,it;q=0.8,en-US;q=0.6,en;q=0.4
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.3
_SERVER["HTTP_VIA"]	1.1 proxy.unin.it:3128 (squid/2.5.STABLE14)
_SERVER["HTTP_X_FORWARDED_FOR"]	193.205.215.108
_SERVER["HTTP_CACHE_CONTROL"]	max-age=259200
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["SERVER_SIGNATURE"]	no value
_SERVER["SERVER_SOFTWARE"]	Apache/2.4.3 (Unix) mod_fcgid/2.3.7
_SERVER["SERVER_NAME"]	www.sunshineproject.eu
_SERVER["SERVER_ADDR"]	62.149.142.98
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	193.205.206.25
_SERVER["DOCUMENT_ROOT"]	/web/htdocs/www.sunshineproject.eu/home/
_SERVER["REQUEST_SCHEME"]	http
_SERVER["CONTEXT_PREFIX"]	no value
_SERVER["CONTEXT_DOCUMENT_ROOT"]	/web/htdocs/www.sunshineproject.eu/home/
_SERVER["SERVER_ADMIN"]	postmaster@sunshineproject.eu
_SERVER["SCRIPT_FILENAME"]	/web/htdocs/www.sunshineproject.eu/home/_aruba_php_test_.php
_SERVER["REMOTE_PORT"]	9491
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.0
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	no value
_SERVER["REQUEST_URI"]	/_aruba_php_test_.php
_SERVER["SCRIPT_NAME"]	/_aruba_php_test_.php
_SERVER["PHPRC"]	no value
_SERVER["PHP_SELF"]	/_aruba_php_test_.php
_SERVER["REQUEST_TIME"]	1364294642

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).