



Project no. 022718

**LEnSE**

**Methodology Development towards a Label for Environmental,  
Social and Economic Buildings**

SSP Thematic Priority 8.1 Policy-oriented research

**Final Report - 27 months  
PART 5: Publishable Final Activity Report**


Period covered: from 01/01/2006 to 31/03/2008  
Date of preparation: 15/05/2008

Start date of project: 1 January 2006

Duration: 27 months

Project co-ordinator: Johan Van Dessel  
Co-ordinator organisation: BBRI

Report Version 1



## TABLE OF CONTENTS

<b>1. Project execution</b> .....	<b>3</b>
Objectives.....	3
Progress and results.....	4
People Involved.....	14
More information.....	14
<b>2. Dissemination and use</b> .....	<b>15</b>
List of sustainability issues.....	15
Sustainability assessment methodology (general principles and format).....	16

# **1. PROJECT EXECUTION**

## **Objectives**

LEnSE is a European research project that responds to the growing need in Europe for assessing a building's sustainability performance. The project draws on the existing knowledge available in Europe on building assessment methodologies.

The main objective of LEnSE is to develop a methodology for the assessment of the sustainability performance of existing, new and renovated buildings, which is broadly accepted by the European stakeholders involved in sustainable construction.

The importance of the LEnSE project lies in its approach to develop a truly holistic methodology that addresses the overall, integrating concept of sustainability. Furthermore, LEnSE aims to develop a Europe-wide accepted assessment methodology, which also allows for regional or national variances and priorities to be incorporated. The key stakeholders on the European and national level will be highly involved in the development of the methodology, to guarantee a wide acceptance and implementation of the project results.

The results of the LEnSE project will be important for all stakeholders involved in sustainable construction:

- Governments can use the methodology for the implementation of subsidiary schemes in order to promote sustainability;
- Architects can use it to communicate about sustainability issues with their clients;
- Project developers have an instrument to determine the sales values of buildings in the context of sustainability. The methodology could also be translated into a sustainability certification for buildings;
- Clients can get reliable information about the sustainability performance of the planned building before purchase or construction.

The three main tasks within LEnSE are:

- To develop a list of issues which need to be included in the assessment methodology. The list must be wide enough to be meaningful for all European members, but it must be limited enough to be practical. A broad consensus on these issues will be reached through strategic consultation of the relevant stakeholders.
- To develop a methodology for assessment of the overall sustainability of existing buildings, major renovations and plans for new buildings. The methodology must take into account the existing methodologies and initiatives and ongoing standardisation activities. Guidelines on how to address local variations will be provided. This work will be validated by the development of a prototype tool and tested on case study buildings.
- To set up a strategic consultation of the stakeholders. In order to ensure a methodology accepted and used by the stakeholders, these consultations will include national meetings with stakeholders and trans-national expert workshops. The consultation and communication activities should also raise the stakeholders' awareness about sustainability assessment and the advantages of the LEnSE approach. The LEnSE project will also interact with standardisation activities at CEN and ISO level to make sure the methodology is in line with the standards in development.

## **Progress and results**

### **Identification of sustainability issues for the LEnSE methodology**

The main objective of this task was to review existing assessment methodologies - such as environmental assessment tools, cost calculation tools, calculation of energy performance, building rating systems, incentives, environmental risks etc. - in order to extract the sustainability issues in these methods. At the same time, information was collected on the success factors of these existing assessment methods in Europe. The result of this reviewing exercise was a long list of possible issues to be included in the LEnSE sustainability assessment methodology. This list needed further refinement to become a sufficiently wide, but practically feasible set of sustainability issues.

### **Identification of sustainability issues**

Sustainability includes environmental, social and economic issues. Due to this very broad scope of our study, many different fields had to be covered. The partners involved in this work have used a large number of documents, and particularly:

- Environmental assessment tools: LCA tools (e.g. LEGEP, ECO-QUANTUM, EQUER, ENVEST), studies regarding external cost, ...
- Building rating systems and existing labels: GB Tool, BREEAM, LEED, GPR GEBOUW, ECO-BAU, ESCALE, ...
- Cost calculation tools: LCC calculation, elements method, ...
- Calculation of energy performance: EN13790, national tools used in building regulation, thermal simulation tools, ...
- Infrastructure tools
- Sustainability incentives: tax credits, subsidies, green certificates, energy certificates, ...
- Existing review reports e.g. International Energy Agency
- Previous European projects: PRESCO, CRISP, BEQUEST, ECO-HOUSING, ...
- Existing standards and draft standards: ISO, CEN, AFNOR, ...

This review resulted in a first “long list” of issues. This list was optimised and refined, in order to result in a clear and workable list. Several research methods were used to achieve this:

- Frequency analysis of measures and issues included in existing methods
- Analysis of responses to a European LEnSE questionnaire dealing with the vision on sustainable construction of different stakeholders
- Outcome of the first series of national stakeholder meetings, organised in each of the LEnSE partner countries
- Findings from case studies and interviews
- Restructuring the different issues to minimise overlap and gaps from the long list

This long list was then reviewed and critical issues were identified in order to create a more concise list of issues. In defining the short list two guiding principles were followed;

- That the scope of issues included is sufficiently wide to cover the relevant sustainability topics.
- Each issue is practical in terms of developing content and completing an actual assessment.

This resulted in a shortlist of issues (**Tab. 1**) arranged into eleven categories. Each category in turn representing either an environmental, social or economic sustainability theme.

**Table 1: LEnSE overview of issues for sustainability assessment of buildings**

<b>Theme</b>	<b>Category</b>	<b>Issue</b>	
<b>Environment</b>	<b>Climate Change</b>	Reduce Greenhouse Gas Emissions	
		<b>Biodiversity</b>	Minimise Eutrophication
	Mitigate Impact on Site Ecology		
	Enhance Site Ecology		
	<b>Resource use and Waste</b>	Minimise Waste Production (solid, sewage, hazardous and radioactive)	
		Minimise Primary Energy Consumption (embodied, operational and renewability)	
		Limit Raw Material Use and Source renewable/recycled/responsibly sourced materials	
		Minimise Water Consumption (reduce use and maximise reuse)	
		Minimise Land Consumption (reduce total use and maximise reuse of contaminated land/brownfield sites)	
	<b>Environmental Management and Geophysical Risk</b>	Improve Environmental Management	
		Limit Climatological Risk (including flooding)	
		Limit Geological Risk (including subsidence and erosion)	
	<b>Social</b>	<b>Occupants' Well Being</b>	Improve Visual Comfort (internal and external lighting provision)
			Improve Thermal Comfort
Improve Acoustic Comfort and Vibrations			
Improve Indoor Air Quality (odours, ventilation and humidity)			
Improve Water Quality			
Improve Outdoor Comfort			
Ensure Provision of Privacy			
Reduce Exposure to Hazardous Materials/Substances (including radiation and electromagnetic fields)			
Avoid Unsafe or Hazardous Features (including topography)			
Avoid Accumulation of Intruding Hazards (radon, dust, pollen)			
Provide Health Targets			
<b>Accessibility</b>			Improve Access to Public Services and Amenities
			Improve Access to Public Transport
		Improve Accessible Pedestrian Network	
		Improve Accessible Bicycling Network	
		Facilitate Car Pooling	
<b>Security</b>		Improve Security of Buildings and Surroundings Against Crime	
<b>Social and Cultural Value</b>		Community / Stakeholder Consultation with Ongoing Participation	
		Social and Ethical Responsibility (including probity & transparency)	

		Sensitivity to the Local Community
		Provide Affordable Housing
		Building Aesthetics and Context
<b>Economic</b>	<b>Whole Life Value</b>	Reduce Whole Life Costing
		Preserve or Improve the Quality and Asset Value of the Site
		Increase Ease of Building Adaptability
		Improve Ease of Maintenance
		Contribute to Image Value and Technical Innovation
	<b>Financing and Management</b>	Improve Economic Feasibility
		Reduce Construction and Financing Costs
		Improve Construction and Management Standards
	<b>Externalities</b>	Optimise diverse and Long-term local Employment Opportunities, and Minimise Displacement.
		Use and Purchase locally Produced Materials
		Improve Building User Productivity

### **Success factors of assessment methods in Europe**

In LEnSE, the aim is to develop a methodology which is accepted by the stakeholders. In order to increase our chances of success, it was deemed to be important first to understand better why some of the existing tools were successful, and why others have failed. To do this, information has been collected and a review of the LCA and rating tools took place:

- the purpose of the tools (design, policy making, research...),
- the users (designers, constructors, end users...),
- the focus (building, site, neighbourhood...),
- the building types (residential, tertiary...),
- the life cycle phases (design, construction, operation, refurbishment, demolition),
- the number of issues covered,
- the number of users,
- the time / cost needed to perform an assessment, including collection of input data (but excluding regulatory assessments),
- the incentives to use the tool (e.g. subsidies according to the result of the assessment),
- the source of funding (public, private) for the development and maintenance of the tool,
- the scientific credibility of the assessment and certification process.

From this information and from the review presented above, some trends can be derived regarding the strengths, weaknesses, opportunities and threats of the different approaches. These elements are summarized in the SWOT matrices below (Table 2 and Table 3).

### **LCA methods**

**Table 2: SWOT matrix for LCA methods**

<b>Strengths</b>	<b>Weaknesses</b>
<ul style="list-style-type: none"> <li>• LCA tools are based upon a standardised methodology (ISO 14 040)</li> </ul>	<ul style="list-style-type: none"> <li>• LCA concerns only some environmental issues, that can be evaluated in a quantitative way</li> </ul>

<ul style="list-style-type: none"> <li>• The results can be checked as far as the assumptions are published</li> <li>• Validation work exist, e.g. 8 tools have been compared in the PRESCO thematic network, showing a +/- 10% discrepancy on CO<sub>2</sub> emissions of the studied cases</li> <li>• Some tools are user friendly, making the assessment as easy as simplified methods</li> <li>• Some tools have a large number of users (e.g. ENVEST : 233 registered users)</li> <li>• Some tools are linked with economic or social issues (LEGEP with life cycle cost, EQUER with thermal comfort)</li> </ul>	<ul style="list-style-type: none"> <li>• Some harmonisation work is still needed among the different tools in Europe</li> <li>• LCA tools require data that may not be available (e.g. life cycle inventories of locally produced materials, or technical innovation)</li> <li>• The number of users of LCA tools is generally limited (still more researchers than professionals)</li> </ul>
<b>Opportunities</b>	<b>Threats</b>
<ul style="list-style-type: none"> <li>• A European project aims to develop a data base including life cycle inventories of building materials (JRC, Ispra)</li> <li>• LCA is considered in CEN TC 350 in charge of sustainable building</li> <li>• Incentives could be provided according to environmental performances evaluated using LCA</li> <li>• Continuing education could allow building professionals to be trained</li> </ul>	<ul style="list-style-type: none"> <li>• LCA could be rejected as being too complicated by building professionals</li> <li>• The cost of an assessment must remain low to ensure the acceptance of a labelling process</li> </ul>

## Rating tools

**Table 3: SWOT matrix for rating tools**

<b>Strengths</b>	<b>Weaknesses</b>
<ul style="list-style-type: none"> <li>• Rating tools include more easily all kind of issues (social, economic, environmental), including qualitative issues</li> <li>• Rating tools are generally user friendly, the input and output being adapted to both building professionals and clients</li> <li>• Some rating tools are partly based upon LCA, which may increase their reliability</li> <li>• Some tools are widely used (e.g. 25,000 accredited LEED professionals in the U.S., over 1,000 BREEAM assessors)</li> </ul>	<ul style="list-style-type: none"> <li>• Qualitative evaluation is very difficult to validate : the confidence in the result of a rating tool is sometimes limited</li> <li>• Many tools exist, which can be very different in their structure and content</li> </ul>
<b>Opportunities</b>	<b>Threats</b>
<ul style="list-style-type: none"> <li>• An increasing number of owners apply for "green labelled" buildings</li> <li>• A harmonised methodology can emerge from European research and standardization activities</li> </ul>	<ul style="list-style-type: none"> <li>• Labelling low performance buildings reduces the credibility of labelling</li> <li>• Agreeing on a common qualitative assessment method may be difficult and the result may depend a lot on the assessor</li> </ul>

## **Content of the LEnSE assessment methodology**

### **General approach**

The work carried out in the first phase of the project resulted in the above mentioned set of sustainability issues. It is important to recognise however that this short list represented a set of sustainability issues, but these in themselves are not necessarily measurable criteria. It was necessary therefore, in the second phase of the project, to translate these issues into groups of sub issues. These sub issues would be

representative of the initial short list and the principles of the structure of the methodology. In doing so this would shift the focus from the intent of the issues on to indicators of sustainability performance, therefore progressing development of the method's content.

Definition and categorisation of each sub issue was guided by the following principles:

- Appropriate to each class of building considered i.e. commercial/public and residential.
- Account for, and be applicable to the key stages in the building life cycle i.e. planning/design and operation.
- Applicable EU wide, but flexible enough to allow for crucial local or regional issues to be included and accounted for.
- Facilitate the use of outputs from other methodologies and standards as a method of complying with a sub issue. For example the use of existing country specific LCA tools and methodologies or process based standards or codes of practice.
- Result in an output that represents an indicator of a buildings sustainability performance, not necessarily a holistic representation of performance.
- Bear in mind that evaluating final performance, once the relevant information has been collated, should take no longer than 2 days.
- Ensure consistency with the initial consultation and identification of sustainability issues, and the subsequent long and short lists from work package one.

In total 56 sub issues were identified, related to 11 categories within the 3 sustainability themes, environment, social and economic.

### **Weighting and performance evaluation**

The approach to weighting and scoring sub issues and categories provides the basis for the structure of the methodology. For LEnSE it is proposed that performance of a building, measured against each sub issue and category, will be ranked on an A-G scale. Overall building performance will also be ranked on an A-G scale, determined via the accumulation of individual category scores.

Each A-G category and sub issue benchmark will be determined by a consensus based weighting exercise.

The weighting exercise constituted of two parts:

#### **Weighting each LEnSE category in terms of its relative importance**

This approach will use international consensus to determine a weighting for each category. In addition to this approach, a proportion of the overall weighting will be influenced by national consensus. This allows each country to fine tune the weighting for a category according to national priorities. For example, a category containing a sub issue concerning radioactive waste, may be more relevant in France than Italy. A French version of the methodology may therefore weight that category with more importance than the Italian version.

#### **Weighting each sub issue within a category**

Using the weighting for each category, version specific sub issue weightings can then be determined. This is done by distributing the overall category weighting between the sub issues according to the national consensus. The table below provides an example of this for the climate change category.

The sub issue weighting is split and apportioned to each of the A-G performance bands for each sub issue within a category. Then, in an actual assessment, the performance



of the building is compared against the benchmark scale for each sub issue. This will determine the sub issue rating and its equivalent number of weighting points. For example, a UK assessed building that achieves a CO<sub>2</sub> emission rate of 42 KgCO<sub>2</sub>/m<sup>2</sup> achieves a sub issue rating of C and 50 weighting points; as highlighted in the table below.

**Table 4: Example of relationship between sub issue benchmark and weighting**

<b>Category</b>	Climate Change				
<b>Sub issue</b>	Building - depletion of non renewable primary energy				
<b>Sub issue rating</b>	<b>Benchmark</b>	<b>Available Weighting</b>			
	<i>KgCO<sub>2</sub>/m<sup>2</sup></i>	<b>UK</b>	<b>France</b>	<b>Bel</b>	<b>Greece</b>
<b>A</b>	<15	70	45	60	140
<b>B</b>	<30	60	39	51	120
<b>C</b>	<b>&lt;45</b>	<b>50</b>	33	42	100
<b>D</b>	<75	40	27	33	80
<b>E</b>	<105	30	21	24	60
<b>F</b>	<120	20	15	15	40
<b>G</b>	<135	10	9	6	20

On completion of the assessment of each sub issue, the amount of weighted points achieved is accumulated. This in turn translates into a category rating and weighted score. The accumulation of weighted points in each category then translates in to an overall LEnSE rating for the assessed building.

#### **Important note**

It is important to note that the LEnSE project did not aim to achieve this kind of international consensus within the scope of the current development work. This could rather be the subject of future research activities in this area. For the pilot test cases however, a provisional weighting of the categories will be adopted, based on a consensus within the project team.

#### **Sub issue development**

After the definition of the structure and content of the methodology the emphasis of the project has shifted to developing a limited, but representative range of sub issues. When choosing which sub issues to develop the project team decided to avoid developing too many that were included in, and assessed by existing methodologies. The aim is to avoid repetition of research, where possible, and uphold the principle of allowing existing methods, and their application, to potentially compliment the application of LEnSE.

It was felt, in addition, appropriate not to develop too many sub issues that were covered by the scope of CEN/TC 350 (Sustainability of Construction Works – framework for the assessment of integrated building performance). It is the intention that LEnSE should take a steer from efforts to develop international standards to ensure it adopts an approach consistent with such standards.

The development of content for the method therefore aims to focus on those issues under-represented by existing assessment methodologies and standards. This decision

is, however, balanced with the need to ensure adequate representation of each sustainability theme.

In total 30 sub-issues were developed by the LEnSE partners, covering equally all three categories of sustainability. An example of a complete developed sub-issue assessment for “Provision of car pooling” is given just below.

**Example of sub issue: “Provision of car pooling”**

**Intent**

The provision of key amenities in proximity of the building encourages sustainable and integrated communities. Easier access to such facilities also reduces transport related greenhouse gas emissions.

**Performance Benchmark**

The building’s performance must be determined by measuring the distance to all relevant amenities in proximity of the assessed buildings main entrance, and compared to the following:

Benchmark: Building occupants per parking space and car share policy objectives

<b>Level</b>	<b>Requirements</b>
<b>A</b>	2.3 users per parking space and at least 5 car share policy objectives
<b>B</b>	2.2 users per parking space and at least 4 car share policy objectives
<b>C</b>	2.0 users per parking space and at least 3 car share policy objectives
<b>D</b>	1.7 users per parking space and at least 3 car share policy objectives
<b>E</b>	1.5 users per parking space and at least 2 car share policy objectives
<b>F</b>	1.3 users per parking space and at least 1 car share policy objectives
<b>G</b>	1.2 users per parking space and no car share policy objectives

**Requirements**

Step 1: Determine the number of building occupants per parking space

Divide the number of building occupants by the number of dedicated parking spaces provided for those building occupants.

Note:

- If the number of building occupants is not known, use a national figure of one person per 10 m<sup>2</sup> of net floor area.
- For existing buildings, company staff travel surveys can be used to determine the actual proportion of building users that car share.

Step 2: Determine the number of car pooling policy objectives implemented

Car pooling policy objectives:

- Provide general information about car pooling and encourage participation (i.e. demonstration of benefits through message board announcements).
- Continuous promotion of car pooling through formal announcement(s) and adoption of documented policy that covers eligibility, incentives, penalties for non-compliance, guidelines etc.
- “Meet Your Match” events or registration of employees/users in a computer/internet based match-up and ridesharing service.
- Establishment of incentives for car pooling such as: preferred or premium parking spaces i.e. near main entrance sheltered and/or attended; lower parking fees; free parking passes; provision for an emergency ride home (ERH) scheme; reward programs etc.

- Make car pooling service available to local community (non building users).
- Periodic assessment and re-evaluation of car pooling activity (i.e. car pooling data processing, surveys to determine employee's/user's current transportation patterns and interests, feedback from car-poolers etc.).
- Eliminate potential car pooling fraud (i.e. implementation of carpool parking in gated or attended parking areas).

*Note:*

For a design stage assessment, there must be a firm commitment to implement any relevant car share policy objectives post construction, during the operational phase. This commitment must be provided in order to award the building a specific LEnSE rating for this sub issue.

**Supporting documentation**

Type of information required to complete the assessment	New buildings or renovations		Existing buildings	
	Non domestic	Domestic	Non domestic	Domestic
Site plan	<input checked="" type="checkbox"/>	-	-	-
Net building floor area (m <sup>2</sup> )	<input checked="" type="checkbox"/>	-	-	-
Number of full time equivalent building occupants at time of assessment	<input checked="" type="checkbox"/>	-	<input checked="" type="checkbox"/>	-
Summary results from a company specific travel plan	-	-	<input checked="" type="checkbox"/>	-
Relevant car pooling/transport policy documents *	<input checked="" type="checkbox"/>	-	<input checked="" type="checkbox"/>	-
Written commitment outlining which policy objectives will be implemented and over what time period	<input checked="" type="checkbox"/>	-	-	-

(\*) The documents should be provided by the administration or by a special transportation office and include, but not necessary limited to leaflets, message board announcements, memos, policy papers, reports, surveys, database records.  
Random interviews with employees/users of the building are also recommended.

**Additional information**

Studies in Europe and elsewhere estimate that the average car occupancy is 1.2 passengers per vehicle per trip. Case studies show that effective car pooling can raise occupancy level above 2.0. Thus, it is expected that assessed buildings should at least achieve the standard average of 1.2 to be eligible for benchmarking under this sub-issue.

*Pilot test cases*

The LEnSE methodology and developed sub-issues is tested on actual buildings, the so called “pilot test cases”. This action plays a vital role in the project as this is the phase where theory becomes practice for the first time and valuable conclusions can be drawn.

**The prototype tool**


The development of a prototype assessment tool allows for the testing of the method on actual buildings. The content of the tool derived directly from task 2 of WP2, as illustrated in full detail in the second stepping stone publication. It had been decided by LEnSE partners that a limited but representative number of issues be fully developed and included in the tool for the purpose of testing the methodology. This resulted

in 30 fully developed sub issues covering equally all three pillars of sustainability (Environmental, Social and Economic). The remaining 27 sub issues have also been integrated in the prototype in terms of structural completion but they are not assessed; instead they are given directly a default rating of “B” by the assessors (in a scale of A to G).


In terms of format, it was agreed that an Excel based approach was the most convenient means for the testing of the methodology, providing a familiar and easy-to-work-with environment for the partners assessing the pilot buildings.

The main features of the tool include:


- User friendly interface with explanative pop-up texts that help and guide the user as appropriate




- Validation of entered data is always performed to ensure integrity of calculation & results. In the case of invalid input, user is prompted with informative error messages



- Only the absolutely necessary information is entered – even in the most complex/ elaborate sub issues; everything else (including calculations and searching through tables) is automatically carried out by the tool
- A simple yet effective navigation is used between the issues and sub-issues in a sustainability pillar
- Multiple benchmarking is possible by means of 8 national and one EU-wide weightings sets by modifying one single field



- Synoptic presentation of scores and ratings for each pillar, category and sub issue



The tool incorporates weighting factors for every partner country (plus one EU-wide one) for each of the 57 sub issues and 11 categories. Using those weightings, scores are calculated and category, pillar and overall ratings are awarded. **However, it is important to note that these figures are partly notional due to the limited number of actually assessed sub-issues (30 on 57) and the limited scope of the weighting exercise.**

### The pilots

Actual testing of the method started in July 2007 on a total of ten case study projects. Though the scope of the method developed under LEnSE project encompasses different types of buildings during their entire life-cycle, it was decided that for testing purposes focus should be given on two types of buildings, Residential and Office during their design/construction or early occupational stage only. Each partner has carried out one pilot assessment in their respective country. The detailed assessment reports can be downloaded from the LEnSE website.

### Conclusions

The near Europe-wide testing from experienced assessors (all partners have been involved in building assessments in the past) identified several strong points of the methodology:

- The double role of the methodology:
  - assess the building against sustainability

- identify areas of future improvement (especially when used at the conception or early design phase of the building).
- The development and inclusion of “pioneering” assessment methods for previously unquantifiable issues (social & economic)

In addition to the assessment reports, which are available to the public, an internal project questionnaire was used to evaluate the pilot assessment exercise. The responses to this questionnaire were used to draw overall conclusions from the pilot testing of the assessment method.

A more in-depth feedback process was then set up to identify possible improvements to the sub-issues developed in the project. As a result of this feedback, a large part of the sub-issues was further optimised by the partners, whereas for other sub-issues, areas for future improvement were identified. To allow interested parties to gain more insight in the development work carried out in the project, a summary of each of the developed sub-issues was also prepared by the partners. This summary is made available for the public through the LEnSE website.

## **People Involved**

The LEnSE project team is a consortium of 9 organisations with large experience in sustainable construction and building assessment. Partners include research institutes, assessment tool developers, universities and consultants from different European countries.

- Belgian Building Research Institute (Belgium) *Co-ordinator*
- ARMINES – ENSMP (France)
- Building Research Establishment (United Kingdom)
- Bauphysikbüro Oliver Kornadt und Partner (Germany)
- Imperial College (United Kingdom)
- PLODE + W/E Consultants (Netherlands)
- Planair (Switzerland)
- Czech Technical University of Prague (Czech Republic)
- European Profiles (Greece)

## **More information**

The LEnSE website (<http://www.LEnSEbuildings.com>) gives general information about the goal, method and planning of the LEnSE project. Furthermore you can find some information about the LEnSE partners. You can download public reports and there are some links to LEnSE related interesting information.

The project team can be contacted through [info@LEnSEbuildings.com](mailto:info@LEnSEbuildings.com).

## 2. DISSEMINATION AND USE

Two of the project's results are considered as "publishable results":

- List of sustainability issues
- Sustainability assessment methodology (general principles and format)

### List of sustainability issues

The following list of sustainability issues was developed by the LEnSE project. It contains a set of issues which should be considered when assessing the sustainability of a building.

<b>Theme</b>	<b>Category</b>	<b>Issue</b>	
<b>Environment</b>	<b>Climate Change</b>	Reduce Greenhouse Gas Emissions	
		<b>Biodiversity</b>	
	<b>Resource use and Waste</b>	Minimise Eutrophication	
		Mitigate Impact on Site Ecology	
		Enhance Site Ecology	
		Minimise Waste Production (solid, sewage, hazardous and radioactive)	
		Minimise Primary Energy Consumption (embodied, operational and renewability)	
		Limit Raw Material Use and Source renewable/recycled/responsibly sourced materials	
	<b>Environmental Management and Geophysical Risk</b>	Minimise Water Consumption (reduce use and maximise reuse)	
		Minimise Land Consumption (reduce total use and maximise reuse of contaminated land/brownfield sites)	
		Improve Environmental Management	
	<b>Social</b>	<b>Occupants' Well Being</b>	Limit Climatological Risk (including flooding)
			Limit Geological Risk (including subsidence and erosion)
Improve Visual Comfort (internal and external lighting provision)			
Improve Thermal Comfort			
Improve Acoustic Comfort and Vibrations			
Improve Indoor Air Quality (odours, ventilation and humidity)			
Improve Water Quality			
Improve Outdoor Comfort			
Ensure Provision of Privacy			
Reduce Exposure to Hazardous Materials/Substances (including radiation and electromagnetic fields)			
Avoid Unsafe or Hazardous Features (including topography)			
Avoid Accumulation of Intruding Hazards (radon, dust, pollen)			
Provide Health Targets			
<b>Accessibility</b>		Improve Access to Public Services and Amenities	
	Improve Access to Public Transport		

		Improve Accessible Pedestrian Network
		Improve Accessible Bicycling Network
		Facilitate Car Pooling
	<b>Security</b>	Improve Security of Buildings and Surroundings Against Crime
	<b>Social and Cultural Value</b>	Community / Stakeholder Consultation with Ongoing Participation
		Social and Ethical Responsibility (including probity & transparency)
		Sensitivity to the Local Community
		Provide Affordable Housing
		Building Aesthetics and Context
	<b>Economic</b>	<b>Whole Life Value</b>
Preserve or Improve the Quality and Asset Value of the Site		
Increase Ease of Building Adaptability		
Improve Ease of Maintenance		
Contribute to Image Value and Technical Innovation		
<b>Financing and Management</b>		Improve Economic Feasibility
		Reduce Construction and Financing Costs
		Improve Construction and Management Standards
<b>Externalities</b>		Optimise diverse and Long-term local Employment Opportunities, and Minimise Displacement.
		Use and Purchase locally Produced Materials
		Improve Building User Productivity

The potential use of this list can be summarised as follows:

- The list of sustainability issues can be used as a reference list in general communication on sustainable construction to all stakeholders.
- The list of sustainability issues might be used to identify knowledge gaps regarding the importance of issues, and the corresponding evaluation of the performance of a building.
- There are possible market applications for the issues covered in LEnSE with regards to expanding existing building assessment methods to cover more social and economic issues.
- The list of sustainability issues will be used for further education and further research, on national and European level
- The list could be used in consultancy practice and further development work on sustainability assessment methods

## **Sustainability assessment methodology (general principles and format)**

The approach to weighting and scoring sub issues and categories provides the basis for the structure of the methodology. For LEnSE it is proposed that performance of a building, measured against each sub issue and category, will be ranked on an A-G scale. Overall building performance will also be ranked on an A-G scale, determined via the accumulation of individual category scores.



Each A-G category and sub issue benchmark will be determined by a consensus based weighting exercise.

The weighting exercise constituted of two parts:

- Weighting each LEnSE category in terms of its relative importance
- Weighting each sub issue within a category

On completion of the assessment of each sub issue, the amount of weighted points achieved is accumulated. This in turn translates into a category rating and weighted score. The accumulation of weighted points in each category then translates in to an overall LEnSE rating for the assessed building.

It is important to note that the LEnSE project did not aim to achieve this kind of international consensus within the scope of the current development work. This could rather be the subject of future research activities in this area. For the pilot test cases however, a provisional weighting of the categories will be adopted, based on a consensus within the project team.

The potential use of this developed methodology can be summarised as follows:

- The methodology can be used for communication and/or education on sustainable construction.
- The methodology as developed in LEnSE could be used to inform other sustainability assessment methods, either existing or planned.
- The method is also useful as a framework / approach for other assessment methodologies, as a basis for changes and/or updates.
- The results can be used in the future research and development on sustainability assessment of buildings.
- The methodology can be the basis of discussion in the development of new regulations, legislation or standardisation in the field of sustainable construction.
- The format of the method is likely to be used as the structure for a report for UNEP SBCI and FI comparing existing building assessment methodologies.
- The methodology could be used as business development in the sector of building consultancy related to sustainable construction, e.g. in construction planning support.