

Project No: 284438
Project Acronym: PlanHab
Project Full Name: Planetary Habitat Simulation

FINAL REPORT

4.4 References

1. Bodkin D, Escalera P, Bocam K. A Human Lunar Surface Base and Infrastructure Solution. Space: American Institute of Aeronautics and Astronautics, 2006.
2. Scheuring R, Conkin J, Gernhard M. Risk assessment of physiological effects of atmospheric composition and pressure in Constellation vehicles. *Acta Astronautica* 2008;63:727-39.
3. Ward MP, Milledge J.S. & West Jon B. Chapman & Hall Medical. London,. High altitude Medicine and Physiology. Chapman & Hall Medical. London, 1995.
4. Fortney SM, Scneider VS, Greenleaf JE. The physiology of bedrest. In: Fregley, Blatteis, eds. *Handbook of physiology*, Sect. IV, Environmental Physiology, Vol. II Oxford University Press, 1996:889-939.
5. Rittweger J, Simunic B, Bilancio G, et al. Bone loss in the lower leg during 35 days of bedrest is predominantly from the cortical compartment. *Bone* 2009;44(4):612-8.
6. Berg HE, Eiken O, Miklavcic L, Mekjavić IB. Hip, thigh and calf muscle atrophy and bone loss after 5-week bedrest inactivity. *Eur J Appl Physiol* 2007;99(3):283-9.
7. Convertino V. Exercise and adaptation to microgravity environments. In: . In: Fregley, Blatteis, eds. *Handbook of Physiology*, Environmental Physiology Volume II Oxford Univ Press , 1996:815-43.
8. Levine BD, Zuckerman JH, Pawelczyk JA. Cardiac atrophy after bed-rest deconditioning: a nonneural mechanism for orthostatic intolerance. *Circulation* 1997;96(2):517-25.
9. Eiken O, Kolegard R, Mekjavić IB. Pressure-distension relationship in arteries and arterioles in response to 5 wk of horizontal bedrest. *Am J Physiol Heart Circ Physiol* 2008;295(3):H1296-H302.
10. Kolegard R, Mekjavić IB, Eiken O. Increased distensibility in dependent veins following prolonged bedrest. *European Journal of Applied Physiology* 2009;106(4):547-54.

11. Bassett Frey M, Charles J, Houston D. Weightlessness and orthostatic stress. In: Smith J, ed. Circulatory responses to the upright posture: CRC Press, 1990:20-65.
12. Eiken O, Mekjavić IB. The Valdoltra Bedrest Study; effects of 35 days of horizontal bedrest on the function of peripheral blood vessels, the thermoregulatory system and the function and structure of the musculoskeletal system. FOI report 2002(0748):1-60.
13. Eiken O, Tesch PA. Effects of hyperoxia and hypoxia on dynamic and sustained static performance of the human quadriceps muscle. *Acta Physiol Scand* 1984;**122**(4):629-33.
14. Pavy-Le Traon A, Heer M, Narici MV, Rittweger J, Vernikos J. From space to Earth: advances in human physiology from 20 years of bedrest studies (1986-2006). *Eur J Appl Physiol* 2007;**101**(2):143-94.
15. Capelli C, Antonutto G, Kenfack MA, et al. Factors determining the time course of VO₂(max) decay during bedrest: implications for VO₂(max) limitation. *Eur J Appl Physiol* 2006;**98**(2):152-60.
16. Andersen P, Saltin B. Maximal perfusion of skeletal muscle in man. *J Physiol* 1985;**366**:233-49.
17. Richardson RS, Knight DR, Poole DC, et al. Determinants of maximal exercise VO₂ during single leg knee-extensor exercise in humans. *The American journal of physiology* 1995;**268**(4 Pt 2):H1453-61.
18. Knight DR, Poole DC, Schaffartzik W, et al. Relationship between Body and Leg Vo₂ during Maximal Cycle Ergometry. *Journal of applied physiology* 1992;**73**(3):1114-21.
19. Calbet JA, Lundby C. Air to muscle O₂ delivery during exercise at altitude. *High Alt Med Biol* 2009;**10**(2):123-34.
20. Grassi B, Marzorati M, Kayser B, et al. Peak blood lactate and blood lactate vs workload during acclimatization to 5,050 m and in deacclimatization. *Journal of applied physiology* 1996;**80**(2):685-92.
21. Jacobs RA, Siebenmann C, Hug M, Toigo M, Meinild AK, Lundby C. Twenty-eight days at 3454-m altitude diminishes respiratory capacity but enhances efficiency in human skeletal muscle mitochondria. *Faseb Journal* 2012;**26**(12):5192-200.
22. Powers SK, Kavazis AN, DeRuisseau KC. Mechanisms of disuse muscle atrophy: role of oxidative stress. *Am J Physiol Regul Integr Comp Physiol* 2005;**288**(2):R337-44.
23. Cannavino J, Brocca L, Sandri M, Bottinelli R, Pellegrino MA. PGC1-alpha over-expression prevents metabolic alterations and soleus muscle atrophy in hindlimb unloaded mice. *J Physiol* 2014;**592**(Pt 20):4575-89.
24. Cannavino J, Brocca L, Sandri M, Grassi B, Bottinelli R, Pellegrino MA. The role of alterations in mitochondrial dynamics and PGC-1 alpha over-expression in fast

- muscle atrophy following hindlimb unloading. *J Physiol-London* 2015;**593**(8):1981-95.
25. Murray A, Horscroft J. Mitochondrial function at extreme high altitude. *J Physiol-London* 2015;In press.
26. Weibel ER, Taylor CR, Hoppeler H. The concept of symmorphosis: a testable hypothesis of structure-function relationship. *Proc Natl Acad Sci U S A* 1991;**88**(22):10357-61.
27. Blottner D, Salanova M, Puttmann B, et al. Human skeletal muscle structure and function preserved by vibration muscle exercise following 55 days of bedrest. *Eur J Appl Physiol* 2006;**97**(3):261-71.
28. Moriggi M, Vasso M, Fania C, et al. Long term bed rest with and without vibration exercise countermeasures: Effects on human muscle protein dysregulation. *Proteomics* 2010;**10**(21):3756-74.
29. Rittweger J, Winwood K, Seynnes O, et al. Bone loss from the human distal tibia epiphysis during 24 days of unilateral limb suspension. *J Physiol* 2006;**577**(1):331-37.
30. Rittweger J, Simunic B, Bilancio G, et al. Bone loss in the lower leg during 35 days of bed rest is predominantly from the cortical compartment. *Bone* 2009;**44**(4):612-18.
31. Rittweger J, Beller G, Armbrecht G, et al. Prevention of bone loss during 56 days of strict bed rest by side-alternating resistive vibration exercise. *Bone* 2010;PMID: **19732856**(46):137-47.
32. Rittweger J, Frost HM, Schiessl H, et al. Muscle atrophy and bone loss after 90 days of bed rest and the effects of flywheel resistive exercise and pamidronate: results from the LTBR study. *Bone* 2005;**36**(6):1019-29.
33. Meganck JA, Kozloff KM, Thornton MM, Broski SM, Goldstein SA. Beam hardening artifacts in micro-computed tomography scanning can be reduced by X-ray beam filtration and the resulting images can be used to accurately measure BMD. *Bone* 2009;**45**(6):1104-16.
34. Armbrecht G, Belavy DL, Gast U, et al. Resistive vibration exercise attenuates bone and muscle atrophy in 56 days of bed rest: biochemical markers of bone metabolism. *Osteoporosis international : a journal established as result of cooperation between the European Foundation for Osteoporosis and the National Osteoporosis Foundation of the USA* 2010;**21**(4):597-607.
35. Watanabe Y, Ohshima H, Mizuno K, et al. Intravenous pamidronate prevents femoral bone loss and renal stone formation during 90-day bed rest. *Journal of bone and mineral research : the official journal of the American Society for Bone and Mineral Research* 2004;**19**(11):1771-8.

36. Stavrou NAM, McDonnell AC, Eiken O, Mekjavić IB. Psychological strain: Examining the effect of hypoxic bedrest and confinement. *Physiol Behav* 2015;139:497-504.
37. Palinkas LA. Psychological issues in long-term space flight: Overview. . *Gravitational and Space Biology Bulletin*, (2), 25-33. 2001;14(2):25-33.
38. Kanas N, Sandal G, Boyd JE, et al. Psychology and culture during long-duration space missions (vol 64, pg 659, 2009). *Acta Astronautica* 2010;66(1-2):331-31.
39. Edwards H, Rose EA, Schorow M, King TC. Postoperative Deterioration in Psychomotor Function. *Jama-J Am Med Assoc* 1981;245(13):1342-43.
40. Ryback RS, Trimble RW, Lewis OF, Jennings CL. Psychobiological effects of prolonged weightlessness (bed rest) in young health volunteers. . *Aerospace Medicine* 1971 (42):408-15.
41. Deroshia CW, Greenleaf JE. Performance and Mood-State Parameters during 30-Day 6-Degrees Head-down Bed Rest with Exercise Training. *Aviat Space Environ Med* 1993;64(6):522-27.
42. Ishizaki Y, Ishizaki T, Fukuoka H, et al. Changes in mood status and neurotic levels during a 20-day bed rest. *Acta Astronautica* 2002;50(7):453-59.
43. Shehab RL, Schlegel RE, Schiflett SG, Eddy DR. The NASA performance assessment workstation: Cognitive performance during head-down bed rest. *Acta Astronautica* 1998;43(3-6):223-33.
44. Gaul C, Schmidt T, Windisch G, et al. Subtle cognitive dysfunction in adult onset myotonic dystrophy type 1 (DM1) and type 2 (DM2). *Neurology* 2006;67(2):350-52.
45. McDonald CM. Physical activity, health impairments, and disability in neuromuscular disease. *Am J Phys Med Rehab* 2002;81(11):S108-S20.
46. Barbour KA, Blumenthal JA. Exercise training and depression in older adults. *Neurobiol Aging* 2005;26 Suppl 1:119-23.
47. Moore KA, Blumenthal JA. Exercise training as an alternative treatment for depression among older adults. *Alternative therapies in health and medicine* 1998;4(1):48-56.
48. Yeung RR. The acute effects of exercise on mood state. *J Psychosom Res* 1996;40(2):123-41.
49. Ekkekakis P, Lind E. Exercise does not feel the same when you are overweight: the impact of self-selected and imposed intensity on affect and exertion. *International journal of obesity* 2006;30(4):652-60.
50. Lind E, Joens-Matré RR, Ekkekakis P. What intensity of physical activity do previously sedentary middle-aged women select? Evidence of a coherent pattern from physiological, perceptual, and affective markers. *Preventive medicine* 2005;40(4):407-19.

51. Hotting K, Roder B. Beneficial effects of physical exercise on neuroplasticity and cognition. *Neurosci Biobehav R* 2013;37(9):2243-57.
52. Gordon BA, Rykhlevskaia EI, Brumback CR, et al. Neuroanatomical correlates of aging, cardiopulmonary fitness level, and education. *Psychophysiology* 2008;45(5):825-38.
53. Weinstein AM, Voss MW, Prakash RS, et al. The association between aerobic fitness and executive function is mediated by prefrontal cortex volume. *Brain Behav Immun* 2012;26(5):811-19.
54. Acevedo EO, Ekkekakis P. The transactional psychobiological nature of cognitive appraisal during exercise in environmentally stressful conditions. *Psychology of sport and exercise* 2001;2,:47-67.
55. Glaser R. Stress-associated immune dysregulation and its importance for human health: a personal history of psychoneuroimmunology. *Brain Behav Immun* 2005;19(1):3-11.
56. Chouker A. *Stress Challenges and Immunity in Space*: Springer Verlag, 2012.
57. Strewe C, Zeller R, Hörl M, Mekjavić I, Choukèr A. The role of hypoxia and bed rest on recall antigen responses in humans_a preliminary report from the PlanHab-Study. Waterloo Congress Proceeding ISGP, 2014.
58. Feuerecker M, Mayer W, Kaufmann I, et al. A corticoid-sensitive cytokine release assay for monitoring stress-mediated immune modulation. *Clinical and experimental immunology* 2013;172(2):290-99.
59. Crucian BE, Stowe RP, Pierson DL, Sams CF. Immune system dysregulation following short- vs long-duration spaceflight. *Aviat Space Environ Med* 2008;79(9):835-43.
60. Crucian B, Lee P, Stowe R, et al. Immune system changes during simulated planetary exploration on Devon Island, high arctic. *Bmc Immunol* 2007;8.
61. Crucian B, Stowe R, Mehta S, et al. Immune System Dysregulation Occurs During Short Duration Spaceflight On Board the Space Shuttle. *J Clin Immunol* 2013;33(2):456-65.
62. Stowe RP, Sams CF, Pierson DL. Effects of mission duration on neuroimmune responses in astronauts. *Aviat Space Environ Med* 2003;74(12):1281-84.
63. Stowe RP, Mehta SK, Ferrando AA, Feeback DL, Pierson DL. Immune responses and latent herpesvirus reactivation in spaceflight. *Aviat Space Environ Med* 2001;72(10):884-91.
64. Mehta SK, Crucian BE, Stowe RP, et al. Reactivation of latent viruses is associated with increased plasma cytokines in astronauts. *Cytokine* 2013;61(1):205-09.
65. Tracey KJ. The inflammatory reflex. *J Leukocyte Biol* 2004;18-18.
66. Tracey KJ. The inflammatory reflex. *Nature* 2002;420(6917):853-59.

67. Chouker A, Kaufmann I, Kreth S, et al. Motion Sickness, Stress and the Endocannabinoid System. *Plos One* 2010;5(5).
68. Klein TW, Newton C, Larsen K, et al. The cannabinoid system and immune modulation. *J Leukocyte Biol* 2003;74(4):486-96.
69. Cluny NL, Reimer RA, Sharkey KA. Cannabinoid signalling regulates inflammation and energy balance: The importance of the brain-gut axis. *Brain Behav Immun* 2012;26(5):691-98.
70. Strewe C, Feuerecker M, Nichiporuk I, et al. Effects of parabolic flight and spaceflight on the endocannabinoid system in humans. *Rev Neuroscience* 2012;23(5-6):673-80.
71. Sitkovsky M, Lukashev D. Regulation of immune cells by local tissue oxygen tension: Hif1 alpha and adenosine receptors. *Nature Reviews Immunology* 2005;5(9):712-21.
72. Chouker A, Thiel M, Lukashev D, et al. Critical role of hypoxia and A2A adenosine receptors in liver tissue-protecting physiological anti-inflammatory pathway. *Mol Med* 2008;14(3-4):116-23.
73. Sitkovsky M, Ohta A. Targeting the hypoxia-adenosinergic signaling pathway to improve the adoptive immunotherapy of cancer. *J Mol Med* 2013;91(2):147-55.
74. Thiel M, Chouker A, Ohta A, et al. Oxygenation inhibits the physiological tissue-protecting mechanism and thereby exacerbates acute inflammatory lung injury. *Plos Biol* 2005;3(6):1088-100.
75. Belikoff B, Viackus L, Sitkovsky M, Remick DG. Adenosine A2B Receptor Expression by Myeloid Cells Mediates Airway Inflammation in Asthma. *Faseb Journal* 2010;24.
76. Abbracchio MP, Burnstock G, Verkhratsky M. Stress challenges and Purinergic signalling in the nervous system: an overview. *Trends Neurosci* 2009;32(1):19-29.
77. Antonioli L, Pacher P, Vizi ES, Hasko G. CD39 and CD73 in immunity and inflammation. *Trends in Molecular Medicine* 2013;19(6):355-67.
78. Dolch ME, Chouker A, Hornuss C, et al. Quantification of propionaldehyde in breath of patients after lung transplantation. *Free Radical Bio Med* 2015;85:157-64.
79. Haufe S, Wiesner S, Engeli S, Luft FC, Jordan J. Influences of normobaric hypoxia training on metabolic risk markers in human subjects. *Med Sci Sports Exerc* 2008;40(11):1939-44.
80. Chen SM, Lin HY, Kuo CH. Altitude Training Improves Glycemic Control. *Chinese J Physiol* 2013;56(4):193-98.
81. Conn VS, Koopman RJ, Ruppar TM, Phillips LJ, Mehr DR, Hafdahl AR. Insulin Sensitivity Following Exercise Interventions: Systematic Review and Meta-

- Analysis of Outcomes Among Healthy Adults. Journal of primary care & community health 2014;**5**(3):211-22.
82. Bienso RS, Ringholm S, Kiilerich K, et al. GLUT4 and glycogen synthase are key players in bed rest-induced insulin resistance. Diabetes 2012;**61**(5):1090-9.
 83. Tobin BW, Uchakin PN, Leeper-Woodford SK. Insulin secretion and sensitivity in space flight: diabetogenic effects. Nutrition 2002;**18**(10):842-8.
 84. Stuart CA, Shangraw RE, Prince MJ, Peters EJ, Wolfe RR. Bed-rest-induced insulin resistance occurs primarily in muscle. Metabolism: clinical and experimental 1988;**37**(8):802-6.
 85. Zhang JZ, Behrooz A, Ismail-Beigi F. Regulation of glucose transport by hypoxia. Am J Kidney Dis 1999;**34**(1):189-202.
 86. Lecoultrre V, Peterson CM, Covington JD, et al. Ten nights of moderate hypoxia improves insulin sensitivity in obese humans. Diabetes care 2013;**36**(12):e197-8.
 87. Geenen S, du Preez FB, Snoep JL, et al. Glutathione metabolism modeling: A mechanism for liver drug-robustness and a new biomarker strategy. Bba-Gen Subjects 2013;**1830**(10):4943-59.
 88. Mazzucco S, Agostini F, Biolo G. Inactivity-mediated insulin resistance is associated with upregulated pro-inflammatory fatty acids in human cell membranes. Clinical nutrition 2010;**29**(3):386-90.
 89. Brenner RR. Hormonal modulation of delta6 and delta5 desaturases: case of diabetes. Prostaglandins Leukot Essent Fatty Acids 2003;**68**(2):151-62.
 90. Cavaghan MK, Ehrmann DA, Polonsky KS. Interactions between insulin resistance and insulin secretion in the development of glucose intolerance. Journal of Clinical Investigation 2000;**106**(3):329-33.
 91. Castillo MJ, Scheen AJ, Letiexhe MR, Lefèvre PJ. How to measure insulin clearance. Diabetes/Metabolism Reviews 1994;**10**(2):119-50.
 92. Polonsky KS, Rubenstein AH. C-peptide as a measure of the secretion and hepatic extraction of insulin. Pitfalls and limitations. Diabetes 1984;**33**(5):486-94.
 93. Biensø RS, Ringholm S, Kiilerich K, et al. GLUT4 and Glycogen Synthase Are Key Players in Bed Rest-Induced Insulin Resistance. Diabetes 2012;**61**(5):1090-99.
 94. Tobin BW, Uchakin PN, Leeper-Woodford SK. Insulin secretion and sensitivity in space flight: Diabetogenic effects. Nutrition 2002;**18**(10):842-48.
 95. Braun B, Rock PB, Zamudio S, et al. *Women at altitude: short-term exposure to hypoxia and/or α1-adrenergic blockade reduces insulin sensitivity*, 2001.
 96. Castillo O, Woolcott OO, Gonzales E, et al. Residents at high altitude show a lower glucose profile than sea-level residents throughout 12-hour blood continuous monitoring. High altitude medicine & biology 2007;**8**(4):307-11.

97. Zhang J-Z, Behrooz A, Ismail-Beigi F. Regulation of glucose transport by hypoxia. American Journal of Kidney Diseases 1999;34(1):189-202.
98. Horscroft JA, Murray AJ. Skeletal muscle energy metabolism in environmental hypoxia: climbing towards consensus. Extreme physiology & medicine 2014;3(1):19.
99. Chandran M, Phillips SA, Ciaraldi T, Henry RR. Adiponectin: More Than Just Another Fat Cell Hormone? Diabetes Care 2003;26(8):2442-50.
100. Lihn AS, Pedersen SB, Richelsen B. Adiponectin: action, regulation and association to insulin sensitivity. Obesity reviews : an official journal of the International Association for the Study of Obesity 2005;6(1):13-21.
101. Kanda T, Takahashi T, Sumino H, et al. Hypoadiponectinemia in bedridden female patients younger than 75. Journal of the American Geriatrics Society 2005;53(11):2039-41.
102. Chen B, Lam KS, Wang Y, et al. Hypoxia dysregulates the production of adiponectin and plasminogen activator inhibitor-1 independent of reactive oxygen species in adipocytes. Biochem Biophys Res Commun 2006;341(2):549-56.
103. Smith JD, Cianflone K, Martin J, Poirier P, Broderick TL, Noel M. Plasma adipokine and hormone changes in mountaineers on ascent to 5300 meters. Wilderness & environmental medicine 2011;22(2):107-14.
104. Raben A, Tagliabue A, Astrup A. The reproducibility of subjective appetite scores. Br J Nutr 1995;73(4):517-30.
105. Parker BA, Sturm K, MacIntosh CG, Feinle C, Horowitz M, Chapman IM. Relation between food intake and visual analogue scale ratings of appetite and other sensations in healthy older and young subjects. Eur J Clin Nutr 2004;58(2):212-8.
106. Benso A, Broglio F, Aimaretti G, et al. Endocrine and metabolic responses to extreme altitude and physical exercise in climbers. European Journal of Endocrinology 2007;157(6):733-40.
107. Aeberli I, Erb A, Sliethoff K, et al. Disturbed eating at high altitude: influence of food preferences, acute mountain sickness and satiation hormones. Eur J Nutr 2013;52(2):625-35.
108. Westerterp-Plantenga MS, Westerterp KR, Rubbens M, Verwegen CRT, Richelet J-P, Gardette B. *Appetite at "high altitude" [Operation Everest III (Comex-'97)]: a simulated ascent of Mount Everest*, 1999.
109. Debevec T, Simpson EJ, Macdonald IA, Eiken O, Mekjavić IB. Exercise training during normobaric hypoxic confinement does not alter hormonal appetite regulation. PLoS One 2014;9(6):e98874.
110. Da Silva MS, Zimmerman PM, Meguid MM, et al. Anorexia in space and possible etiologies: an overview. Nutrition 2002;18(10):805-13.

111. Ritz P, Maillet A, Blanc S, Stubbs RJ. Observations in energy and macronutrient intake during prolonged bed-rest in a head-down tilt position. *Clin Nutr* 1999;18(4):203-7.
112. Shimizu H, Shimomura Y, Hayashi R, et al. Serum leptin concentration is associated with total body fat mass, but not abdominal fat distribution. *Int J Obes Relat Metab Disord* 1997;21(7):536-41.
113. Sinha MK, Caro JF. Clinical aspects of leptin. *Vitamins and hormones* 1998;54:1-30.
114. Shukla V, Singh SN, Vats P, Singh VK, Singh SB, Banerjee PK. Ghrelin and leptin levels of sojourners and acclimatized lowlanders at high altitude. *Nutr Neurosci* 2005;8(3):161-5.
115. Snyder EM, Carr RD, Deacon CF, Johnson BD. Overnight hypoxic exposure and glucagon-like peptide-1 and leptin levels in humans. *Applied physiology, nutrition, and metabolism = Physiologie appliquée, nutrition et metabolisme* 2008;33(5):929-35.
116. Tschop M, Strasburger CJ, Hartmann G, Biollaz J, Bartsch P. Raised leptin concentrations at high altitude associated with loss of appetite. *Lancet* 1998;352(9134):1119-20.
117. Benso A, Broglio F, Aimaretti G, et al. Endocrine and metabolic responses to extreme altitude and physical exercise in climbers. *Eur J Endocrinol* 2007;157(6):733-40.
118. Sierra-Johnson J, Romero-Corral A, Somers VK, Johnson BD. Effect of altitude on leptin levels, does it go up or down? *Journal of applied physiology* 2008;105(5):1684-5.
119. Guerra B, Ponce-Gonzalez JG, Morales-Alamo D, et al. Leptin signaling in skeletal muscle after bed rest in healthy humans. *European journal of applied physiology* 2014;114(2):345-57.
120. Bergouignan A, Momken I, Schoeller DA, et al. Regulation of energy balance during long-term physical inactivity induced by bed rest with and without exercise training. *J Clin Endocrinol Metab* 2010;95(3):1045-53.
121. Zwart SR, Crawford GE, Gillman PL, et al. Effects of 21 days of bed rest, with or without artificial gravity, on nutritional status of humans. *J Appl Physiol* 2009;107(1):54-62.
122. Batterham RL, Bloom SR. The gut hormone peptide YY regulates appetite. *Annals of the New York Academy of Sciences* 2003;994:162-8.
123. Wasse LK, Sunderland C, King JA, Batterham RL, Stensel DJ. Influence of rest and exercise at a simulated altitude of 4,000 m on appetite, energy intake, and plasma concentrations of acylated ghrelin and peptide YY. *J Appl Physiol* (1985) 2012;112(4):552-9.

124. Bergouignan A, Momken I, Schoeller DA, et al. Regulation of Energy Balance during Long-Term Physical Inactivity Induced by Bed Rest with and without Exercise Training. *The Journal of Clinical Endocrinology & Metabolism* 2010;95(3):1045-53.
125. Baggio LL, Drucker DJ. Biology of Incretins: GLP-1 and GIP. *Gastroenterology* 2007;132(6):2131-57.
126. Ranganath LR, Beety JM, Morgan LM, Wright JW, Howland R, Marks V. Attenuated GLP-1 secretion in obesity: cause or consequence? *Gut* 1996;38(6):916-19.
127. INUI A, ASAKAWA A, BOWERS CY, et al. Ghrelin, appetite, and gastric motility: the emerging role of the stomach as an endocrine organ. *The FASEB Journal* 2004;18(3):439-56.
128. Wasse LK, Sunderland C, King JA, Batterham RL, Stensel DJ. Influence of rest and exercise at a simulated altitude of 4,000 m on appetite, energy intake, and plasma concentrations of acylated ghrelin and peptide YY. *J Appl Physiol* 2012;112(4):552-9.
129. Riepl RL, Fischer R, Hautmann H, et al. Influence of acute exposure to high altitude on basal and postprandial plasma levels of gastroenteropancreatic peptides. *PLoS One* 2012;7(9):e44445.
130. Kanikowska D, Sato M, Iwase S, et al. Leptin and ghrelin levels in humans during physical inactivity induced by head-down bed rest. *Aviat Space Environ Med* 2010;81(4):383-6.
131. Erdmann J, Topsch R, Lippl F, Gussmann P, Schusdziarra V. Postprandial response of plasma ghrelin levels to various test meals in relation to food intake, plasma insulin, and glucose. *J Clin Endocrinol Metab* 2004;89(6):3048-54.
132. Tannous dit El Khoury D, Obeid O, Azar ST, Hwalla N. Variations in postprandial ghrelin status following ingestion of high-carbohydrate, high-fat, and high-protein meals in males. *Ann Nutr Metab* 2006;50(3):260-9.
133. Flanagan DE, Evans ML, Monsod TP, et al. The influence of insulin on circulating ghrelin. *Am J Physiol Endocrinol Metab* 2003;284(2):E313-6.
134. Férezou J, Richalet JP, Coste T, Rathat C. Changes in plasma lipids and lipoprotein cholesterol during a high altitude mountaineering expedition (4800 m). *Europ. J. Appl. Physiol.* 1988;57(6):740-45.
135. Stowhas AC, Latshang TD, Lo Cascio CM, et al. Effects of acute exposure to moderate altitude on vascular function, metabolism and systemic inflammation. *PLoS One* 2013;8(8):e70081.
136. Vats P, Ray K, Majumadar D, et al. Changes in cardiovascular functions, lipid profile, and body composition at high altitude in two different ethnic groups. *High altitude medicine & biology* 2013;14(1):45-52.

137. Saunders TJ, Larouche R, Colley RC, Tremblay MS. Acute Sedentary Behaviour and Markers of Cardiometabolic Risk: A Systematic Review of Intervention Studies. *Journal of Nutrition and Metabolism* 2012; **2012**:712435.
138. Yanagibori R, Kondo K, Suzuki Y, Kawakubo K, Iwamoto T, Itakura H. Effect of 20 days' bed rest on the reverse cholesterol transport system in healthy young subjects. *Journal of Internal Medicine* 1998; **243**(4):307-12.
139. Jeppesen J, Facchini FS, Reaven GM. Individuals with high total cholesterol/HDL cholesterol ratios are insulin resistant. *J Intern Med* 1998; **243**(4):293-8.
140. LeBlanc A, Lin C, Shackelford L, et al. Muscle volume, MRI relaxation times (T2), and body composition after spaceflight. *Journal of applied physiology* 2000; **89**(6):2158-64.
141. Tesch PA, Berg HE, Bring D, Evans HJ, LeBlanc AD. Effects of 17-day spaceflight on knee extensor muscle function and size. *Eur J Appl Physiol* 2005; **93**(4):463-8.
142. Westerterp-Plantenga MS, Westerterp KR, Rubbens M, Verwegen CR, Richelet JP, Gardette B. Appetite at "high altitude" [Operation Everest III (Comex-'97)]: a simulated ascent of Mount Everest. *J Appl Physiol* 1999; **87**(1):391-9.
143. Tschop M, Morrison KM. Weight loss at high altitude. *Adv Exp Med Biol* 2001; **502**:237-47.
144. Quintero P, Milagro FI, Campion J, Martinez JA. Impact of oxygen availability on body weight management. *Med Hypotheses* 2010; **74**(5):901-7.
145. Westerterp KR, Robach P, Wouters L, Richalet JP. Water balance and acute mountain sickness before and after arrival at high altitude of 4,350 m. *Journal of applied physiology* 1996; **80**(6):1968-72.
146. Reynolds RD, Lickteig JA, Deuster PA, et al. Energy metabolism increases and regional body fat decreases while regional muscle mass is spared in humans climbing Mt. Everest. *J Nutr* 1999; **129**(7):1307-14.
147. Westerterp KR, Kayser B, Wouters L, Le Trong JL, Richalet JP. Energy balance at high altitude of 6,542 m. *J Appl Physiol* 1994; **77**(2):862-6.
148. Rose MS, Houston CS, Fulco CS, Coates G, Sutton JR, Cymerman A. Operation Everest. II: Nutrition and body composition. *Journal of applied physiology* 1988; **65**(6):2545-51.
149. Lippi FJ, Neubauer S, Schipfer S, et al. Hypobaric hypoxia causes body weight reduction in obese subjects. *Obesity* 2010; **18**(4):675-81.
150. Kayser B, Verges S. Hypoxia, energy balance and obesity: from pathophysiological mechanisms to new treatment strategies. *Obesity reviews : an official journal of the International Association for the Study of Obesity* 2013; **14**(7):579-92.
151. Westerterp KR, Kayser B. Body mass regulation at altitude. *European journal of gastroenterology & hepatology* 2006; **18**(1):1-3.

152. Narici MV, Kayser B. Hypertrophic response of human skeletal muscle to strength training in hypoxia and normoxia. *Eur J Appl Physiol Occup Physiol* 1995;70(3):213-9.
153. Etheridge T, Atherton PJ, Wilkinson D, et al. Effects of hypoxia on muscle protein synthesis and anabolic signaling at rest and in response to acute resistance exercise. *American journal of physiology* 2011;301(4):E697-702.
154. Stein TP, Leskiw MJ, Schluter MD, et al. Energy expenditure and balance during spaceflight on the space shuttle. *The American journal of physiology* 1999;276(6 Pt 2):R1739-48.
155. Butterfield GE, Gates J, Fleming S, Brooks GA, Sutton JR, Reeves JT. Increased energy intake minimizes weight loss in men at high altitude. *J Appl Physiol* 1992;72(5):1741-8.
156. Mawson JT, Braun B, Rock PB, Moore LG, Mazzeo R, Butterfield GE. Women at altitude: energy requirement at 4,300 m. *Journal of applied physiology* 2000;88(1):272-81.
157. Moore LG, Cymerman A, Huang SY, et al. Propranolol blocks metabolic rate increase but not ventilatory acclimatization to 4300 m. *Respir Physiol* 1987;70(2):195-204.
158. Nair CS, Malhotra MS, Gopinath PM, Mathew L. [Effect of acclimatization to altitude and cold on basal heart rate, blood pressure, respiration and breath-holding in man]. *Aerospace Med* 1971;42(8):851-5.
159. Westerterp KR, Meijer EP, Rubbens M, Robach P, Richalet JP. Operation Everest III: energy and water balance. *Pflugers Arch* 2000;439(4):483-8.
160. Westerterp KR, Brouns F, Saris WH, ten Hoor F. Comparison of doubly labeled water with respirometry at low- and high-activity levels. *Journal of applied physiology* 1988;65(1):53-6.
161. Smith SM, Zwart SR, Block G, Rice BL, Davis-Street JE. The nutritional status of astronauts is altered after long-term space flight aboard the International Space Station. *J Nutr* 2005;135(3):437-43.
162. Stuart CA, Shangraw RE, Peters EJ, Wolfe RR. Effect of dietary protein on bed-rest-related changes in whole-body-protein synthesis. *Am J Clin Nutr* 1990;52(3):509-14.
163. Debevec T, McDonnell AC, Macdonald IA, Eiken O, Mekjavić IB. Whole body and regional body composition changes following 10-day hypoxic confinement and unloading-inactivity. *Appl Physiol Nutr Metab* 2014;39(3):386-95.
164. Frings-Meuthen P, Buehlmeier J, Baecker N, et al. High sodium chloride intake exacerbates immobilization-induced bone resorption and protein losses. *Journal of applied physiology* 2011;111(2):537-42.

165. Smith SM, Davis-Street JE, Rice BL, Nillen JL, Gillman PL, Block G. Nutritional status assessment in semiclosed environments: ground-based and space flight studies in humans. *J Nutr* 2001;131(7):2053-61.
166. Lane HW, Feeback DL. Water and energy dietary requirements and endocrinology of human space flight. *Nutrition* 2002;18(10):820-8.
167. Zwart SR, Crawford GE, Gillman PL, et al. Effects of 21 days of bed rest, with or without artificial gravity, on nutritional status of humans. *J Appl Physiol* 2009;107(1):54-62.
168. Melzer K, Kayser B, Saris WH, Pichard C. Effects of physical activity on food intake. *Clinical nutrition* 2005;24(6):885-95.
169. Bartsch P, Pfluger N, Audetat M, et al. Effects of slow ascent to 4559 M on fluid homeostasis. *Aviat Space Environ Med* 1991;62(2):105-10.
170. Drummer C, Norsk P, Heer M. Water and sodium balance in space. *Am J Kidney Dis* 2001;38(3):684-90.
171. Loepky JA, Roach RC, Selland MA, Scotto P, Luft FC, Luft UC. Body fluid alterations during head-down bed rest in men at moderate altitude. *Aviat Space Environ Med* 1993;64(4):265-74.
172. Hildebrandt W, Ottenbacher A, Schuster M, Swenson ER, Bartsch P. Diuretic effect of hypoxia, hypocapnia, and hyperpnea in humans: relation to hormones and O₂ chemosensitivity. *J Appl Physiol* 2000;88(2):599-610.
173. Mekjavić IB, Golja P, Tipton MJ, Eiken O. Human thermoregulatory function during exercise and immersion after 35 days of horizontal bed-rest and recovery. *Eur J Appl Physiol* 2005;95(2-3):163-71.
174. Yoge D, Eiken O, Pisot R, et al. Effect of 21 days of horizontal bed rest on behavioural thermoregulation. *Eur J Appl Physiol* 2010;108(2):281-8.
175. Golja P, Mekjavić IB. The effect of hypoxia on skin blood flow in humans. *Medicinski razgledi* 2002;41(2):169-71.
176. McDonnell AC, Eiken O, Mekjavić PJ, Mekjavić IB. Circadian rhythm of peripheral perfusion during 10-day hypoxic confinement and bed rest. *Eur J Appl Physiol* 2014;114(10):2093-104.
177. Golja P, Kacin A, Tipton MJ, Eiken O, Mekjavić IB. Hypoxia increases the cutaneous threshold for the sensation of cold. *Eur J Appl Physiol* 2004;92(1-2):62-8.
178. Malanda UL, Reulen JPH, Saris WHM, Lichtenbelt WD. Hypoxia induces no change in cutaneous thresholds for warmth and cold sensation. *European Journal of Applied Physiology* 2008;104(2):375-81.
179. Golja P, Mekjavić IB. Effect of hypoxia on preferred hand temperature. *Aviat Space Environ Med* 2003;74(5):522-6.

180. Golja P, Kacin A, Tipton MJ, Mekjavić IB. Moderate hypoxia does not affect the zone of thermal comfort in humans. *Eur J Appl Physiol* 2005;93(5-6):708-13.
181. Greenleaf JE, Reese RD. Exercise thermoregulation after 14 days of bed rest. *J Appl Physiol* 1980;48(1):72-8.
182. Mekjavić IB, Eiken O. Contribution of thermal and nonthermal factors to the regulation of body temperature in humans. *Journal of applied physiology* 2006;100(6):2065-72.
183. Mekjavić IB, Kounalakis SN, Keramidas ME, Biolo G, Narici M, Eiken O. Heat Production and Heat Loss Responses to Cold Water Immersion After 35 Days Horizontal Bed Rest. *Aviat Space Environ Med* 2012;83(5):472-76.
184. Schiffman P, Trontell M, Mazar M, Edelman N. Sleep deprivation decreases ventilatory response to CO₂ but not load compensation. *Chest* 1983;84(6):695-98.
185. Chen H, Tang Y. Sleep loss impairs inspiratory muscle endurance. *Am Rev Respir Dis* 1989;140(4):907-09.
186. Nespollet H, Wuyam B, Tamisier R, et al. Altitude illness is related to low hypoxic chemoresponse and low oxygenation during sleep. *Eur Respir J* 2012;40(3):673-80.
187. Hirshman C, McCullough R, Weil JV. Normal values for hypoxic and hypercapnic ventilatory drives in man. *J Appl Physiol* 1975;38(6):1095-98.
188. Albert T, Swenson E. Peripheral chemoreceptor responsiveness and hypoxic pulmonary vasoconstriction in humans. *High Alt Med Biol* 2014;15(1):15-20.
189. Hohenhaus E, Paul A, McCullough R, Kücherer H, Bärtsch P. Ventilatory and pulmonary vascular response to hypoxia and susceptibility to high altitude pulmonary oedema. *Eur Resp J* 1995;8(11):1825-33.
190. Ainslie P, Burgess K, Subedi P, Burgess K. Alterations in cerebral dynamics at high altitude following partial acclimatisation in humans: wakefulness and sleep. *J Appl Physiol* 2007;102:658-64.
191. Ainslie PN, Lucas SJ, Burgess K. Breathing and sleep at high altitude. *Respir Physiol Neurobiol* 2013;188:233- 56.
192. Douglas N, White D, Weil J, Pickett C, Zwillich C. Hypercapnic ventilatory response in sleeping adults. *Am Rev Respir Dis* 1982;126(5):758-62.
193. Berthon-Jones M, Sullivan C. Ventilatory and arousal responses to hypoxia in sleeping humans. *Am Rev Respir Dis* 1982;125(6):632-39.
194. Kreiger J. Breathing during sleep in normal subjects. *Clin Chest Med* 1985;6(4):577-94.
195. Conkin J, Wessel JH, 3rd. Critique of the equivalent air altitude model. *Aviat Space Environ Med* 2008;79(10):975-82.

196. Millet GP, Faiss R, Pialoux V, Mounier R, Brugniaux JV. Point: Counterpoint "Hypobaric hypoxia induces / does not induce different responses than normobaric hypoxia". *J Appl Physiol* 2012.
197. Beidleman BA, Fulco CS, Staab JE, Andrew SP, Muza SR. Cycling performance decrement is greater in hypobaric versus normobaric hypoxia. *Extrem Physiol Med* 2014;3:8.
198. Richard NA, Koehle MS. Differences in cardio-ventilatory responses to hypobaric and normobaric hypoxia: a review. *Aviat Space Environ Med* 2012;83(7):677-84.
199. Debevec T, Millet GP. Discerning normobaric and hypobaric hypoxia: significance of exposure duration. *Journal of applied physiology* 2014;116(9):1255.
200. Faiss R, Pialoux V, Sartori C, Faes C, Deriaz O, Millet GP. Ventilation, Oxidative Stress and Nitric Oxide in Hypobaric vs. Normobaric Hypoxia. *Med Sci Sports Exerc* 2013;45(2):253-60.
201. Loepky JA, Scotto P, Roach RC. Acute ventilatory response to simulated altitude, normobaric hypoxia, and hypobaria. *Aviat Space Environ Med* 1996;67(11):1019-22.
202. Savourey G, Launay JC, Besnard Y, Guinet A, Travers S. Normo- and hypobaric hypoxia: are there any physiological differences? *Eur J Appl Physiol* 2003;89(2):122-6.
203. Hemmingsson T, Linnarsson D. Lower exhaled nitric oxide in hypobaric than in normobaric acute hypoxia. *Resp Physiol Neurobi* 2009;169(1):74-77.